

Core tables 2010

Supporting the Director of Public Health
Annual Report 2011

List of core tables 2010

Table 1a:	Estimated home population by age/gender, Northern Ireland 2010.....	2
Table 1b:	Estimated home population by age band, local commissioning groups (LCGs) 2010.....	3
Table 1c:	Estimated home population by age band, LCGs/local government districts (LGDs) 2010.....	4
Table 2a:	Population projections, Northern Ireland 2017 and 2022 (thousands)	10
Table 2b:	Population projections, LCGs/LGDs 2017 and 2022 (thousands).....	11
Table 3a:	Live births/stillbirths by maternal residents, Northern Ireland 2001–10.....	12
Table 3b:	Live births/stillbirths by maternal residents, LCGs/LGDs 2010.....	13
Table 4:	Total births by maternal residents, LCGs/LGDs 2001–10.....	14
Table 5a:	Age specific/total period fertility rates, Northern Ireland 2001–10.....	15
Table 5b:	Age specific/total period fertility rates, LCGs 2001–10.....	15
Table 6a:	Notified live births by maternal residence by birth weight 2001–10.....	17
Table 6b:	Notified still births by maternal residence by birth weight 2001–10.....	19
Table 7a:	Infant/perinatal death rates, Northern Ireland 2001–10.....	21
Table 7b:	Infant/perinatal death rates, LCGs 2001–10.....	21
Table 8:	Standardised mortality ratios, age 1–14 years, LCGs 2006–10.....	23
Table 9a:	Directly standardised death rates, selected major causes of death age 15–74 years, Northern Ireland 2001–10.....	24
Table 9b:	Age standardised death rates (standardised to EU populations), selected major causes of death age 15–74 years, Northern Ireland 2001–10.....	25
Table 9c:	Directly standardised death rates, selected major causes of death age 15–74 years, LCGs 2001–10..	26
Table 10a:	Mortality by cause, Northern Ireland 2010.....	31
Table 10b:	Mortality by cause, LCGs 2010.....	32
Table 10c:	Potential years of life lost (PYLL), selected causes of death age 1–74 years, Northern Ireland 2010.	34
Table 10d:	Potential years of life lost (PYLL), selected causes of death age 1–74 years, LCGs 2010.....	35
Table 11a:	Life expectancy at birth, age 1 and age 65 years, Northern Ireland 1900–2010.....	36
Table 11b:	Life expectancy at birth, LGDs 1992–94 to 2008–10.....	37
Table 11c:	Life expectancy at birth, LCGs 2001–03 to 2008–10.....	39
Table 12:	Infectious disease notifications, Northern Ireland 2001–10.....	40
Table 13a:	Percentage uptake rates immunisation, Northern Ireland 2001–10.....	41
Table 13b:	Percentage uptake rates immunisation, LCGs and Northern Ireland 2010.....	41
Table 14a:	Number/birth prevalence per 1,000 total registered births, selected congenital abnormalities, Northern Ireland 2001–10.....	42
Table 14b:	Number/rate Down's syndrome births, maternal age and LCGs 2006–10.....	43
Table 15a:	Cervical screening coverage, Health and Social Care Trusts (HSCTs) 2010–11.....	45
Table 15b:	Breast screening uptake rates (three year screening cycle) by maternal residence, LCGs 2008/09–2010/11.....	46

Further information

Ms Adele Graham
Senior Health Intelligence Manager
adele.graham@hscni.net

Table 1a
Estimated home population by age/gender, Northern Ireland 2010

Age	Persons	% in each age group	Males	% in each age group	Females	% in each age group
0-4	124,300	6.9%	63,700	7.2%	60,600	6.6%
5-9	112,600	6.3%	57,800	6.5%	54,800	6.0%
10-14	121,000	6.7%	62,300	7.0%	58,700	6.4%
15-19	123,100	6.8%	62,700	7.1%	60,400	6.6%
20-24	129,600	7.2%	65,900	7.5%	63,700	7.0%
25-29	128,100	7.1%	64,200	7.3%	63,900	7.0%
30-34	117,200	6.5%	58,600	6.6%	58,600	6.4%
35-39	121,700	6.8%	60,500	6.8%	61,200	6.7%
40-44	129,400	7.2%	63,600	7.2%	65,800	7.2%
45-49	127,900	7.1%	62,700	7.1%	65,300	7.1%
50-54	113,300	6.3%	55,700	6.3%	57,600	6.3%
55-59	97,700	5.4%	48,900	5.5%	48,800	5.3%
60-64	93,200	5.2%	45,400	5.1%	47,800	5.2%
65-69	79,500	4.4%	38,000	4.3%	41,500	4.5%
70-74	63,700	3.5%	29,400	3.3%	34,300	3.7%
75-79	50,700	2.8%	21,900	2.5%	28,800	3.1%
80-84	37,000	2.1%	14,000	1.6%	23,000	2.5%
85+	29,700	1.6%	9,100	1.0%	20,500	2.2%
0-14	357,800	19.9%	183,800	20.8%	174,000	19.0%
15-64	1,181,100	65.6%	588,200	66.5%	592,900	64.8%
65+	260,500	14.5%	112,400	12.7%	148,100	16.2%
TOTAL	1,799,400	100.0	884,400	100.0	915,000	100.0

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Population estimates are generally rounded because population counts from the Census and subsequent updates involving births, deaths and migration cannot be precise.
 Totals of rows/columns may not add up due to rounding.
 All figures are home population figures.

Table 1b
Estimated home population by age band, local commissioning groups (LCGs) 2010

AGE	Belfast LCG			Northern LCG			South Eastern LCG			Southern LCG			Western LCG		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	11,200	10,700	21,900	15,600	15,000	30,600	11,900	11,000	22,900	14,100	13,600	27,700	10,800	10,300	21,100
5-9	9,600	9,200	18,900	14,800	14,000	28,700	10,700	10,200	21,000	12,400	11,800	24,200	10,200	9,500	19,800
10-14	10,200	9,800	20,000	15,800	15,100	30,800	12,000	11,000	23,000	12,900	12,100	25,100	11,400	10,700	22,000
15-19	12,200	12,200	24,400	15,500	14,900	30,400	11,500	10,900	22,400	12,700	11,800	24,500	10,800	10,600	21,400
20-24	14,900	15,300	30,200	15,700	15,000	30,700	11,400	10,800	22,200	13,600	12,600	26,200	10,200	10,100	20,300
25-29	13,400	12,900	26,300	15,100	15,100	30,200	11,400	11,500	23,000	13,600	13,800	27,300	10,800	10,600	21,300
30-34	11,200	11,000	22,200	14,200	14,300	28,600	10,600	10,900	21,500	12,300	12,200	24,500	10,200	10,200	20,400
35-39	10,100	10,500	20,600	16,000	16,000	32,000	11,300	11,600	22,900	12,400	12,200	24,700	10,700	10,800	21,500
40-44	10,600	11,600	22,100	16,900	17,300	34,200	12,400	13,100	25,500	12,900	12,800	25,700	10,800	11,000	21,900
45-49	10,900	12,400	23,300	16,400	16,900	33,300	12,300	13,200	25,500	12,400	12,300	24,700	10,600	10,500	21,200
50-54	9,700	11,100	20,800	14,500	14,800	29,300	11,300	11,500	22,800	11,000	10,800	21,800	9,300	9,300	18,500
55-59	8,400	8,600	17,000	13,000	12,800	25,800	9,900	10,100	20,000	9,300	9,100	18,400	8,400	8,200	16,500
60-64	7,400	8,200	15,600	12,100	12,700	24,700	9,900	10,500	20,400	8,500	8,900	17,400	7,600	7,500	15,100
65-69	6,600	7,700	14,300	10,300	11,100	21,400	8,300	8,800	17,100	7,000	7,500	14,500	5,800	6,300	12,100
70-74	5,400	7,000	12,500	7,900	9,300	17,200	5,900	6,800	12,600	5,500	6,100	11,600	4,600	5,100	9,700
75-79	4,300	6,400	10,800	6,000	7,500	13,500	4,500	5,600	10,100	3,800	5,200	9,000	3,300	4,000	7,300
80-84	3,000	5,400	8,400	3,800	5,800	9,600	2,700	4,700	7,400	2,500	4,000	6,500	2,100	3,200	5,200
85+	1,900	4,600	6,600	2,500	5,300	7,700	2,000	4,500	6,500	1,500	3,400	4,900	1,200	2,800	4,000
0-14	31,100	29,700	60,800	46,100	44,000	90,200	34,600	32,200	66,800	39,500	37,500	77,000	32,400	30,500	62,900
15-64	108,700	113,800	222,600	149,200	149,900	299,100	112,100	114,100	226,200	118,700	116,400	235,000	99,400	98,800	198,200
65+	21,200	31,200	52,400	30,400	39,000	69,500	23,400	30,400	53,700	20,400	26,200	46,600	17,000	21,300	38,300
TOTAL	161,100	174,700	335,800	225,800	232,900	458,700	170,200	176,600	346,800	178,500	180,100	358,600	148,800	150,600	299,400

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Population estimates are generally rounded because population counts from the Census and subsequent updates involving births, deaths and migration cannot be precise.
Totals of rows/columns may not add up due to rounding.
All figures are home population figures.

Table 1c**Estimated home population by age band, LCGs/local government districts (LGDs) 2010****BELFAST LCG**

AGE	Belfast			Castlereagh		
	Male	Female	Persons	Male	Female	Persons
0-4	9,100	8,700	17,800	2,100	2,000	4,100
5-9	7,700	7,400	15,200	1,900	1,800	3,700
10-14	8,100	7,700	15,800	2,200	2,100	4,300
15-19	10,000	10,100	20,100	2,200	2,100	4,300
20-24	13,000	13,400	26,300	2,000	1,900	3,900
25-29	11,600	10,700	22,300	1,800	2,100	4,000
30-34	9,300	8,900	18,200	1,900	2,100	4,000
35-39	7,900	8,300	16,200	2,100	2,200	4,400
40-44	8,000	8,900	16,900	2,600	2,700	5,200
45-49	8,200	9,500	17,700	2,700	2,900	5,600
50-54	7,400	8,700	16,100	2,300	2,400	4,800
55-59	6,500	6,700	13,200	1,900	1,900	3,700
60-64	5,800	6,400	12,200	1,600	1,800	3,400
65-69	5,100	6,000	11,100	1,400	1,700	3,200
70-74	4,200	5,500	9,700	1,200	1,500	2,700
75-79	3,300	5,100	8,400	1,000	1,400	2,400
80-84	2,300	4,200	6,500	700	1,200	1,900
85+	1,500	3,600	5,100	500	1,000	1,500
0-14	24,900	23,800	48,700	6,200	5,900	12,100
15-64	87,600	91,700	179,300	21,200	22,100	43,300
65+	16,400	24,400	40,700	4,900	6,800	11,700
TOTAL	128,900	139,900	268,700	32,200	34,800	67,000

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: Population estimates are generally rounded because population counts from the Census and subsequent updates involving births, deaths and migration cannot be precise.
Totals of rows/columns may not add up due to rounding.

NORTHERN LCG

AGE	Antrim			Ballymena			Ballymoney			Carrickfergus			Coleraine		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	2,100	2,000	4,100	2,100	2,000	4,100	1,000	1,000	2,000	1,200	1,200	2,400	1,700	1,600	3,400
5-9	2,000	1,800	3,700	2,000	1,900	3,900	1,000	1,000	2,000	1,200	1,200	2,400	1,800	1,600	3,400
10-14	2,000	1,900	3,900	2,000	2,100	4,100	1,100	1,000	2,100	1,300	1,200	2,600	2,000	1,900	3,900
15-19	1,800	1,700	3,600	2,000	1,900	3,900	1,000	1,000	2,000	1,400	1,300	2,800	1,900	1,900	3,800
20-24	2,000	1,700	3,700	2,100	1,900	4,000	1,000	900	2,000	1,300	1,300	2,600	1,800	2,000	3,800
25-29	1,900	1,900	3,800	2,100	2,100	4,200	1,100	1,000	2,100	1,200	1,300	2,500	1,500	1,400	3,000
30-34	1,800	1,700	3,500	1,900	2,000	3,800	1,000	1,000	2,000	1,100	1,200	2,300	1,500	1,600	3,100
35-39	2,000	2,100	4,100	2,100	2,100	4,200	1,200	1,100	2,300	1,400	1,400	2,800	1,800	2,000	3,800
40-44	2,000	2,200	4,200	2,400	2,500	4,900	1,200	1,200	2,300	1,600	1,600	3,200	2,100	2,100	4,100
45-49	1,900	2,000	4,000	2,100	2,200	4,300	1,100	1,100	2,200	1,600	1,600	3,300	2,000	2,100	4,200
50-54	1,500	1,600	3,100	2,000	2,000	4,000	1,000	900	1,900	1,300	1,400	2,700	1,900	2,000	3,900
55-59	1,400	1,400	2,800	1,800	1,900	3,700	800	800	1,600	1,200	1,200	2,400	1,700	1,600	3,300
60-64	1,400	1,400	2,800	1,800	1,900	3,700	800	800	1,600	1,000	1,100	2,100	1,600	1,700	3,300
65-69	1,100	1,300	2,400	1,500	1,600	3,100	700	800	1,400	1,000	1,000	2,000	1,400	1,500	2,900
70-74	800	900	1,700	1,200	1,400	2,600	500	600	1,100	700	800	1,500	1,100	1,400	2,500
75-79	600	700	1,300	900	1,200	2,000	400	500	900	500	700	1,200	800	1,100	1,900
80-84	300	500	800	600	900	1,500	200	400	600	300	500	800	500	800	1,300
85+	200	400	700	400	800	1,200	200	300	500	200	500	700	400	800	1,200
0-14	6,100	5,700	11,700	6,100	6,100	12,200	3,100	3,000	6,100	3,700	3,600	7,300	5,500	5,200	10,700
15-64	17,800	17,800	35,600	20,400	20,400	40,800	10,100	9,800	20,000	13,100	13,500	26,600	17,900	18,400	36,400
65+	3,100	3,800	6,900	4,600	5,900	10,500	2,000	2,500	4,500	2,700	3,500	6,300	4,200	5,500	9,800
TOTAL	26,900	27,200	54,100	31,000	32,400	63,500	15,200	15,400	30,600	19,600	20,600	40,200	27,700	29,100	56,8000

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Population estimates are generally rounded because population counts from the Census and subsequent updates involving births, deaths and migration cannot be precise. Totals of rows/columns may not add up due to rounding.

NORTHERN LCG (continued)

AGE	Cookstown			Larne			Magherafelt			Moyle			Newtownabbey		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	1,400	1,300	2,700	900	900	1,800	1,700	1,700	3,400	600	500	1,100	2,900	2,800	5,700
5-9	1,300	1,200	2,400	900	900	1,800	1,600	1,500	3,000	500	500	1,000	2,600	2,400	5,100
10-14	1,300	1,200	2,600	1,000	1,000	2,000	1,700	1,600	3,300	600	500	1,100	2,700	2,500	5,200
15-19	1,300	1,300	2,600	1,000	1,000	2,000	1,500	1,500	3,000	600	500	1,100	2,900	2,800	5,700
20-24	1,500	1,400	2,800	1,000	900	1,900	1,600	1,500	3,200	600	500	1,100	2,800	2,700	5,500
25-29	1,600	1,500	3,100	900	1,000	1,900	1,700	1,700	3,500	600	500	1,100	2,400	2,600	5,000
30-34	1,400	1,300	2,700	800	900	1,700	1,800	1,600	3,400	400	500	900	2,500	2,700	5,100
35-39	1,300	1,300	2,500	1,000	1,000	2,000	1,800	1,600	3,400	500	500	1,000	2,900	3,000	5,800
40-44	1,200	1,200	2,400	1,200	1,200	2,400	1,700	1,600	3,300	600	600	1,200	3,000	3,200	6,200
45-49	1,200	1,200	2,400	1,300	1,300	2,600	1,500	1,500	3,000	600	600	1,200	3,000	3,200	6,200
50-54	1,100	1,100	2,200	1,200	1,100	2,300	1,300	1,300	2,600	600	600	1,100	2,600	2,900	5,500
55-59	1,000	900	1,900	1,000	900	1,900	1,200	1,100	2,300	600	500	1,100	2,300	2,400	4,700
60-64	800	900	1,700	1,000	1,000	2,000	1,000	1,000	2,000	500	500	1,000	2,200	2,300	4,500
65-69	700	800	1,500	800	900	1,700	800	900	1,700	400	400	900	1,900	2,100	4,000
70-74	500	600	1,100	600	700	1,300	600	700	1,300	400	400	800	1,500	1,800	3,300
75-79	400	400	800	500	600	1,100	500	600	1,100	200	300	500	1,100	1,500	2,600
80-84	300	400	700	300	400	700	300	400	700	200	200	400	800	1,300	2,000
85+	200	400	500	200	400	500	200	400	600	100	300	400	400	1,000	1,400
0-14	3,900	3,700	7,700	2,900	2,800	5,700	5,000	4,700	9,700	1,700	1,600	3,200	8,200	7,700	15,900
15-64	12,300	12,000	24,300	10,300	10,300	20,700	15,200	14,400	29,600	5,500	5,400	10,900	26,600	27,700	54,300
65+	2,100	2,600	4,700	2,400	2,900	5,300	2,400	3,000	5,400	1,300	1,600	2,800	5,700	7,600	13,300
TOTAL	18,300	18,300	36,700	15,500	16,100	31,700	22,600	22,100	44,700	8,500	8,500	17,000	40,600	43,000	83,600

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Population estimates are generally rounded because population counts from the Census and subsequent updates involving births, deaths and migration cannot be precise. Totals of rows/columns may not add up due to rounding.

SOUTH EASTERN LCG

AGE	Ards			Down			Lisburn			North Down		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	2,500	2,200	4,700	2,400	2,300	4,800	4,600	4,100	8,700	2,400	2,300	4,800
5-9	2,300	2,200	4,500	2,300	2,200	4,500	3,900	3,700	7,600	2,200	2,100	4,300
10-14	2,600	2,400	5,000	2,600	2,400	5,000	4,300	4,000	8,400	2,400	2,200	4,600
15-19	2,400	2,300	4,700	2,600	2,400	5,000	4,200	4,000	8,200	2,400	2,200	4,500
20-24	2,300	2,200	4,400	2,600	2,300	4,900	4,100	4,000	8,100	2,500	2,300	4,700
25-29	2,300	2,400	4,700	2,500	2,500	4,900	4,100	4,300	8,300	2,500	2,400	5,000
30-34	2,200	2,400	4,600	2,300	2,200	4,500	3,700	3,800	7,600	2,400	2,500	4,900
35-39	2,600	2,600	5,200	2,300	2,300	4,600	3,700	4,100	7,800	2,700	2,600	5,300
40-44	2,900	3,000	5,900	2,600	2,600	5,200	4,100	4,600	8,800	2,800	2,900	5,700
45-49	2,900	3,000	5,900	2,500	2,500	5,100	4,100	4,600	8,800	2,800	3,000	5,800
50-54	2,700	2,700	5,400	2,200	2,200	4,500	3,700	3,800	7,400	2,700	2,800	5,500
55-59	2,400	2,400	4,800	2,000	2,000	4,000	3,100	3,100	6,200	2,500	2,600	5,100
60-64	2,500	2,700	5,300	1,900	1,900	3,800	2,900	3,100	6,000	2,500	2,800	5,300
65-69	2,200	2,200	4,400	1,500	1,600	3,100	2,400	2,700	5,100	2,200	2,400	4,500
70-74	1,400	1,600	3,000	1,100	1,300	2,400	1,800	2,200	4,000	1,500	1,700	3,200
75-79	1,100	1,300	2,400	900	1,100	1,900	1,400	1,700	3,100	1,200	1,500	2,700
80-84	700	1,000	1,700	500	900	1,400	800	1,400	2,200	700	1,400	2,100
85+	500	1,000	1,500	500	900	1,300	500	1,100	1,600	600	1,500	2,000
0-14	7,400	6,800	14,200	7,300	6,900	14,300	12,800	11,800	24,700	7,000	6,600	13,700
15-64	25,200	25,800	51,000	23,400	22,900	46,400	37,700	39,400	77,100	25,800	25,900	51,700
65+	5,800	7,200	13,000	4,500	5,600	10,100	6,900	9,100	16,000	6,100	8,400	14,500
TOTAL	38,500	39,800	78,200	35,300	35,500	70,800	57,400	60,400	117,800	39,000	40,900	79,900

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Population estimates are generally rounded because population counts from the Census and subsequent updates involving births, deaths and migration cannot be precise.

Totals of rows/columns may not add up due to rounding.

SOUTHERN LCG

AGE	Armagh			Banbridge			Craigavon			Dungannon			Newry & Mourne		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	2,300	2,200	4,500	1,700	1,700	3,500	3,800	3,500	7,300	2,300	2,200	4,500	4,000	3,900	7,900
5-9	2,000	2,000	4,000	1,600	1,600	3,200	3,000	2,900	5,800	2,000	2,000	4,000	3,800	3,400	7,200
10-14	2,200	2,100	4,400	1,700	1,600	3,300	3,200	2,900	6,100	2,000	2,000	4,000	3,700	3,500	7,300
15-19	2,100	2,000	4,200	1,600	1,400	3,000	3,200	3,000	6,300	2,000	1,900	3,900	3,700	3,400	7,100
20-24	2,200	2,100	4,300	1,500	1,400	2,900	3,600	3,300	6,900	2,400	2,200	4,500	4,000	3,600	7,600
25-29	1,900	2,100	4,000	1,600	1,600	3,200	3,700	3,600	7,300	2,600	2,300	5,000	3,700	4,100	7,800
30-34	1,800	1,900	3,700	1,600	1,600	3,200	3,300	3,300	6,600	2,300	2,100	4,300	3,300	3,400	6,600
35-39	1,900	1,900	3,800	1,800	1,800	3,700	3,200	3,100	6,300	2,200	2,000	4,200	3,300	3,400	6,700
40-44	2,000	2,000	4,000	2,000	1,900	3,900	3,500	3,500	7,000	2,000	1,900	3,800	3,500	3,500	7,000
45-49	2,000	2,100	4,100	1,800	1,700	3,600	3,300	3,300	6,600	1,800	1,800	3,600	3,400	3,300	6,800
50-54	1,900	1,800	3,700	1,600	1,500	3,100	2,800	2,900	5,700	1,700	1,600	3,400	3,000	3,000	5,900
55-59	1,700	1,600	3,200	1,300	1,200	2,500	2,300	2,300	4,700	1,400	1,300	2,800	2,600	2,600	5,100
60-64	1,500	1,600	3,100	1,200	1,200	2,400	2,200	2,400	4,600	1,300	1,300	2,700	2,300	2,300	4,600
65-69	1,300	1,300	2,600	1,000	1,100	2,100	1,800	2,100	3,900	1,000	1,100	2,200	1,900	1,900	3,800
70-74	1,000	1,100	2,100	700	800	1,600	1,400	1,700	3,100	800	900	1,700	1,500	1,600	3,100
75-79	700	900	1,600	500	700	1,300	1,000	1,400	2,400	600	800	1,400	1,100	1,400	2,400
80-84	400	700	1,200	300	500	800	700	1,000	1,700	400	600	1,000	600	1,100	1,700
85+	300	600	900	200	500	800	400	900	1,400	200	500	800	400	800	1,100
0-14	6,600	6,400	12,900	5,100	4,900	10,000	9,900	9,300	19,200	6,300	6,200	12,500	11,600	10,800	22,400
15-64	19,100	19,100	38,200	16,000	15,500	31,500	31,100	30,800	61,900	19,800	18,400	38,100	32,700	32,600	65,300
65+	3,700	4,600	8,300	2,900	3,600	6,500	5,300	7,200	12,500	3,100	4,000	7,100	5,400	6,800	12,200
TOTAL	29,400	30,100	59,400	24,000	24,000	48,000	46,400	47,300	93,600	29,200	28,600	57,700	49,600	50,200	99,900

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Population estimates are generally rounded because population counts from the Census and subsequent updates involving births, deaths and migration cannot be precise.
Totals of rows/columns may not add up due to rounding.

WESTERN LCG

AGE	Fermanagh			Limavady			Derry			Omagh			Strabane		
	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons
0-4	2,300	2,000	4,300	1,200	1,200	2,300	4,100	3,900	8,000	1,900	1,800	3,700	1,400	1,400	2,900
5-9	2,000	1,900	3,900	1,100	1,000	2,100	3,900	3,700	7,600	1,800	1,700	3,500	1,400	1,200	2,600
10-14	2,200	2,100	4,300	1,200	1,200	2,400	4,300	4,000	8,300	2,000	1,900	3,900	1,700	1,500	3,200
15-19	2,200	2,000	4,200	1,200	1,200	2,400	4,200	4,200	8,400	1,900	1,800	3,700	1,400	1,400	2,700
20-24	2,000	2,000	3,900	1,100	1,000	2,100	4,000	4,000	7,900	1,900	1,800	3,700	1,300	1,400	2,700
25-29	2,200	2,200	4,400	1,100	1,100	2,200	4,100	3,900	8,100	2,000	2,000	4,000	1,300	1,300	2,700
30-34	2,200	2,000	4,200	1,200	1,200	2,400	3,700	3,800	7,500	1,900	1,900	3,800	1,300	1,300	2,600
35-39	2,300	2,100	4,400	1,400	1,300	2,700	3,700	4,000	7,700	1,900	1,900	3,800	1,500	1,500	3,000
40-44	2,200	2,200	4,400	1,400	1,300	2,700	3,900	4,200	8,100	1,900	1,900	3,700	1,500	1,500	3,000
45-49	2,300	2,200	4,400	1,200	1,200	2,400	3,900	4,100	8,000	1,800	1,800	3,700	1,500	1,300	2,800
50-54	2,100	2,000	4,100	1,100	1,000	2,100	3,200	3,500	6,700	1,700	1,700	3,400	1,200	1,100	2,300
55-59	2,000	1,800	3,800	1,000	900	1,900	2,800	3,000	5,700	1,500	1,500	3,000	1,100	1,000	2,100
60-64	1,800	1,800	3,500	800	900	1,700	2,600	2,600	5,200	1,300	1,300	2,500	1,000	1,100	2,100
65-69	1,400	1,400	2,800	700	700	1,400	1,900	2,200	4,100	1,000	1,000	2,100	800	900	1,700
70-74	1,100	1,200	2,200	500	500	1,100	1,600	1,800	3,300	800	900	1,600	700	700	1,400
75-79	800	1,000	1,800	300	400	700	1,100	1,400	2,400	600	700	1,300	500	600	1,100
80-84	500	800	1,300	200	300	500	600	1,000	1,700	400	500	900	300	500	800
85+	300	800	1,100	100	300	400	300	800	1,200	200	500	800	200	300	500
0-14	6,500	6,000	12,500	3,500	3,300	6,900	12,300	11,700	23,900	5,700	5,400	11,000	4,500	4,200	8,700
15-64	21,200	20,200	41,300	11,500	11,100	22,600	36,100	37,100	73,200	17,700	17,500	35,200	13,100	12,900	25,900
65+	4,200	5,100	9,300	1,900	2,300	4,100	5,500	7,100	12,700	3,000	3,700	6,700	2,500	3,000	5,500
TOTAL	31,800	31,200	63,100	16,800	16,700	33,600	53,800	56,000	109,800	26,300	26,600	52,900	20,100	20,000	40,100

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Population estimates are generally rounded because population counts from the Census and subsequent updates involving births, deaths and migration cannot be precise. Totals of rows/columns may not add up due to rounding.

Table 2a
Population projections, Northern Ireland 2017 and 2022 (thousands)

AGE	MALES		FEMALES		PERSONS	
	2017	2022	2017	2022	2017	2022
0-4	65	62	62	59	127	121
5-9	66	65	63	62	128	128
10-14	60	66	57	63	116	128
15-19	59	59	55	56	114	115
20-24	61	57	57	53	118	111
25-29	65	62	63	58	128	120
30-34	68	65	67	63	134	128
35-39	60	68	61	67	121	134
40-44	58	60	59	61	116	121
45-49	62	57	64	58	126	115
50-54	63	61	66	64	128	125
55-59	57	61	60	65	117	126
60-64	49	55	50	58	99	113
65-69	43	46	45	48	88	94
70-74	37	39	42	43	79	82
75+	57	71	82	96	140	167
0-14	190	193	181	184	371	377
15-64	601	604	602	604	1,203	1,208
65+	137	156	170	187	307	343
TOTAL	928	953	953	975	1,881	1,928

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Projections shown are based on the 2010 Mid Year Population Estimates
 Totals of rows/columns may not add up due to rounding.

Table 2b
Population projections, LCGs/LGDs 2017 and 2022 (thousands)

Local Commissioning Group / Local Government District	2017				2022			
	0-14	15-64	65+	Total	0-14	15-64	65+	Total
Belfast LCG	60	226	54	341	60	225	58	343
Belfast	49	182	42	272	48	182	44	274
Castlereagh	12	44	12	68	12	44	14	69
Northern LCG	92	304	84	480	92	305	94	492
Antrim	12	38	9	59	13	39	10	62
Ballymena	12	41	13	66	13	41	14	68
Ballymoney	6	21	5	33	6	22	6	34
Carrickfergus	7	27	7	41	7	26	8	42
Coleraine	9	35	12	56	9	34	13	55
Cookstown	8	26	6	40	9	27	7	42
Larne	6	20	6	32	6	20	7	32
Magherafelt	10	31	7	48	11	32	8	51
Moyle	3	11	3	18	3	11	4	18
Newtownabbey	17	54	16	87	17	54	18	88
South Eastern LCG	68	225	66	359	69	224	74	367
Ards	15	50	16	81	15	50	18	83
Down	14	47	12	74	15	47	14	76
Lisburn	25	79	20	124	26	80	22	128
North Down	14	49	17	80	13	48	19	80
Southern LCG	85	250	57	393	90	260	66	416
Armagh	14	39	10	64	14	40	12	66
Banbridge	10	33	8	51	10	34	10	53
Craigavon	22	67	15	104	23	70	17	110
Dungannon	14	41	9	64	15	44	10	69
Newry/Mourne	25	70	15	110	27	73	17	117
Western LCG	63	202	48	313	62	201	56	319
Derry	24	74	16	114	23	74	19	116
Fermanagh	13	42	11	66	13	42	13	68
Limavady	7	23	6	35	7	22	6	35
Omagh	11	36	9	56	11	36	10	58
Strabane	8	27	7	42	8	27	8	43
NORTHERN IRELAND	368	1,208	309	1,885	374	1,216	347	1,937

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Projections shown are based on the 2008 Mid Year Population Estimates
Totals of rows/columns may not add up due to rounding.

Table 3a
Live births/stillbirths by maternal residents, Northern Ireland 2001–10

YEAR	LIVE BIRTHS	STILLBIRTHS	TOTAL BIRTHS	TOTAL BIRTH RATE / 1,000 POPULATION
2001	21,962	112	22,074	13.1
2002	21,385	122	21,507	12.7
2003	21,648	108	21,756	12.8
2004	22,318	113	22,431	13.1
2005	22,328	89	22,417	13.0
2006	23,272	89	23,361	13.3
2007	24,451	102	24,553	14.0
2008	25,631	115	25,746	14.5
2009	24,910	119	25,029	14.0
2010	25,315	105	25,420	14.1

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: The Stillbirth (Definition) Act 1992 redefined a stillbirth, from 1 October 1992, as a child which had issued forth from its mother after the 24th week of pregnancy and which did not breathe or show any other sign of life. Prior to 1 October 1992 the statistics related to events occurring after the 28th week of pregnancy. Figures do not include births to women living outside Northern Ireland
 Birth rate is calculated using total population figure

Table 3b
Live births/stillbirths by maternal residents, LCGs/LGDs 2010

Local Commissioning Group / Local Government District	LIVE BIRTHS	STILLBIRTHS	TOTAL BIRTHS	TOTAL BIRTH RATE/ 1,000 POPULATION
Belfast LCG	4,795	14	4,809	14.3
Belfast	3,949	13	3,962	14.7
Castlereagh	846	1	847	12.6
Northern LCG	6,110	24	6,134	13.4
Antrim	759	2	761	14.1
Ballymena	780	6	786	12.4
Ballymoney	423	6	429	14.0
Carrickfergus	478	2	480	11.9
Coleraine	669	0	669	11.8
Cookstown	592	1	593	16.2
Larne	360	1	361	11.4
Magherafelt	682	0	682	15.3
Moyle	202	1	203	11.9
Newtownabbey	1,165	5	1,170	14.0
South Eastern LCG	4,514	25	4,539	13.1
Ards	855	7	862	11.0
Down	951	5	956	13.5
Lisburn	1,759	8	1,767	15.0
North Down	949	5	954	11.9
Southern LCG	5,712	21	5,733	16.0
Armagh	908	2	910	15.3
Banbridge	746	3	749	15.6
Craigavon	1,533	4	1,537	16.4
Dungannon	930	4	934	16.2
Newry/Mourne	1,595	8	1,603	16.0
Western LCG	4,184	21	4,205	14.0
Fermanagh	891	5	896	14.2
Limavady	452	0	452	13.5
Derry	1,558	10	1,568	14.3
Omagh	727	4	731	13.8
Strabane	556	2	558	13.9
Northern Ireland	25,315	105	25,420	14.1

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: The Stillbirth (Definition) Act 1992 redefined a stillbirth, from 1 October 1992, as a child which had issued forth from its mother after the 24th week of pregnancy and which did not breathe or show any other sign of life. Prior to 1 October 1992 the statistics related to events occurring after the 28th week of pregnancy.
 Birth rate is calculated using total population figure
 Figures do not include births to women living outside Northern Ireland

Table 4
Total births by maternal residents, LCGs/LGDs 2001–10

Local Commissioning Group / Local Government District	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Belfast LCG	4,109	3,938	4,073	4,158	4,024	4,165	4,484	4,763	4,715	4,809
Belfast	3,320	3,190	3,343	3,440	3,301	3,411	3,681	3,901	3,880	3,962
Castlereagh	789	748	730	718	723	754	803	862	835	847
Northern LCG	5,442	5,452	5,358	5,723	5,644	5,795	6,058	6,376	5,979	6,134
Antrim	732	677	718	758	704	730	809	859	819	761
Ballymena	724	754	738	785	797	785	824	856	809	786
Ballymoney	368	367	347	398	377	405	391	414	411	429
Carrickfergus	460	434	456	442	479	471	475	500	425	480
Coleraine	640	659	622	676	592	648	647	729	624	669
Cookstown	461	456	411	504	485	499	544	536	533	593
Larne	335	360	345	317	352	360	366	348	345	361
Magherafelt	568	583	563	592	610	628	654	726	695	682
Moyle	198	163	199	200	195	183	225	204	205	203
Newtownabbey	956	999	959	1,051	1,053	1,086	1,123	1,204	1,113	1,170
South Eastern LCG	4,018	3,764	3,970	4,093	4,009	4,263	4,539	4,697	4,554	4,539
Ards	833	817	885	867	893	868	945	972	868	862
Down	856	816	853	904	804	954	963	983	981	956
Lisburn	1,499	1,390	1,375	1,475	1,482	1,542	1,707	1,762	1,776	1,767
North Down	830	741	857	847	830	899	924	980	929	954
Southern LCG	4,575	4,442	4,499	4,700	4,829	5,056	5,379	5,620	5,558	5,733
Armagh	758	724	768	729	808	856	862	887	895	910
Banbridge	562	578	647	589	648	648	692	738	703	749
Craigavon	1,120	1,039	1,086	1,180	1,201	1,329	1,420	1,479	1,462	1,537
Dungannon	715	722	655	787	762	805	880	917	911	934
Newry/Mourne	1,420	1,379	1,343	1,415	1,410	1,418	1,525	1,599	1,587	1,603
Western LCG	3,930	3,911	3,856	3,757	3,911	4,082	4,093	4,290	4,223	4,205
Fermanagh	723	754	713	693	734	825	806	878	814	896
Limavady	487	433	473	429	452	484	494	459	426	452
Derry	1,544	1,583	1,514	1,495	1,536	1,536	1,592	1,655	1,675	1,568
Omagh	653	660	648	650	683	690	688	723	725	731
Strabane	523	481	508	490	506	547	513	575	583	558
Northern Ireland	22,074	21,507	21,756	22,431	22,417	23,361	24,553	25,746	25,029	25,420
Births to non-NI residents	289	389	407	577	523	497	523	623	577	455

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: The Stillbirth (Definition) Act 1992 redefined a stillbirth, from 1 October 1992, as a child which had issued forth from its mother after the 24th week of pregnancy and which did not breathe or show any other sign of life. Prior to 1 October 1992 the statistics related to events occurring after the 28th week of pregnancy.

Table 5a
Age specific/total period fertility rates, Northern Ireland 2001–10

Age Group	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
15-19	23.9	23.3	22.9	23.0	21.7	22.5	22.5	23.0	21.8	21.0
20-24	67.5	66.0	65.5	62.8	63.2	63.6	62.6	65.6	63.7	63.4
25-29	105.1	102.9	106.8	109.8	108.6	112.0	116.1	120.5	114.6	112.9
30-34	106.0	104.2	107.0	112.6	114.8	119.2	124.6	131.1	128.0	132.1
35-39	48.0	48.2	50.2	56.1	55.0	58.2	64.2	67.0	65.1	69.1
40-44	9.1	9.2	9.5	9.2	10.1	10.8	11.1	12.1	12.6	12.3
45-49	0.6	0.5	0.3	0.3	0.5	0.6	0.5	0.5	0.5	0.4
TPFR	1.80	1.77	1.81	1.87	1.87	1.94	2.02	2.11	2.04	2.06

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: Age-specific fertility rate is the number of live births occurring to a particular woman of a particular age or age group per year, normally expressed per 1,000 women
Total Period Fertility Rate (TPFR) is the average number of children that would be born to a cohort of women who experienced throughout their childbearing years the fertility rates of the calendar year in question.

Table 5b
Age specific/total period fertility rates, LCGs 2001–10

BELFAST LCG

Age Group	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
15-19	28.2	32.5	30.3	30.2	30.4	29.5	29.9	28.3	26.3	27.6
20-24	59.5	50.8	60.0	56.7	60.6	57.3	60.1	64.9	65.5	62.0
25-29	76.3	74.9	79.0	91.5	87.4	91.1	94.9	99.4	99.2	102.3
30-34	88.9	86.6	89.9	94.6	87.5	96.6	103.9	116.5	111.5	119.8
35-39	45.4	48.0	51.2	52.5	51.1	54.5	63.8	66.9	67.7	68.1
40-44	8.9	8.5	9.3	8.5	8.6	10.5	12.0	13.4	13.5	13.1
45-49	1.0	0.2	0.3	0.3	0.3	0.8	0.6	0.2	0.4	0.4
TPFR	1.54	1.51	1.60	1.67	1.63	1.70	1.83	1.95	1.92	1.97

NORTHERN LCG

Age Group	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
15-19	22.7	22.1	20.1	22.1	19.2	21.2	19.3	22.7	20.5	19.1
20-24	65.0	66.8	69.2	66.6	63.1	64.2	62.0	67.5	58.0	63.0
25-29	108.6	111.0	112.2	117.1	114.0	119.5	126.9	126.6	120.2	118.8
30-34	102.0	106.5	104.6	112.5	120.7	118.2	122.7	134.6	126.9	131.9
35-39	45.6	44.8	45.5	55.7	51.4	55.1	60.2	60.8	58.3	63.4
40-44	8.5	8.5	8.5	8.1	10.0	10.6	10.6	9.9	11.2	10.3
45-49	0.6	0.7	0.2	0.4	0.4	0.4	0.6	0.3	0.4	0.3
TPFR	1.77	1.80	1.80	1.91	1.89	1.95	2.01	2.11	1.98	2.03

SOUTH EASTERN LCG

Age Group	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
15-19	24.5	19.1	22.8	22.3	21.5	22.0	21.6	22.3	21.8	19.2
20-24	71.2	68.7	65.1	65.1	63.5	68.4	67.2	66.3	65.5	66.2
25-29	107.7	100.9	110.3	107.3	106.9	108.5	120.2	122.5	110.0	106.1
30-34	103.7	102.4	107.9	115.6	112.7	122.8	128.0	128.8	133.6	127.0
35-39	45.6	41.6	47.3	54.4	51.9	54.0	62.1	69.8	64.8	71.3
40-44	8.3	8.5	10.6	9.7	9.3	8.8	9.5	10.8	10.7	12.0
45-49	0.4	0.6	0.1	0.2	0.3	0.7	0.5	1.0	0.8	0.3
TPFR	1.81	1.71	1.82	1.87	1.83	1.93	2.05	2.11	2.04	2.01

SOUTHERN LCG

Age Group	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
15-19	21.1	17.9	19.3	19.0	17.7	17.1	20.7	20.2	20.2	19.3
20-24	71.0	73.3	64.3	64.4	65.4	66.5	62.5	64.5	64.4	60.5
25-29	128.8	121.5	127.3	123.5	122.5	123.2	124.0	132.8	127.6	125.8
30-34	127.3	121.8	123.6	133.3	137.3	138.2	146.0	148.7	143.5	150.3
35-39	54.8	56.5	55.1	62.7	61.4	68.6	74.4	75.0	73.6	80.6
40-44	9.5	9.8	10.5	10.9	12.2	12.2	11.4	13.6	13.9	13.3
45-49	0.5	0.7	0.7	0.2	1.1	0.5	0.4	0.6	0.6	0.5
TPFR	2.07	2.01	2.00	2.07	2.09	2.13	2.20	2.28	2.22	2.25

WESTERN LCG

Age Group	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
15-19	22.8	24.3	21.2	20.6	19.1	22.2	20.9	20.9	19.9	19.5
20-24	76.0	79.3	70.4	62.6	64.3	63.7	62.2	64.2	66.5	66.5
25-29	108.6	108.8	107.5	108.4	111.7	116.6	112.7	120.4	114.1	108.2
30-34	112.8	103.6	110.3	106.5	112.6	119.5	121.6	124.4	123.7	129.2
35-39	50.3	52.4	54.5	55.4	61.3	60.2	61.5	64.2	63.6	63.3
40-44	10.8	11.1	8.9	9.4	10.7	12.1	12.6	14.0	14.9	14.0
45-49	0.4	0.2	0.6	0.3	0.2	0.7	0.1	0.8	0.4	0.7
TPFR	1.91	1.90	1.87	1.82	1.90	1.97	1.96	2.04	2.02	2.01

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: Age-specific fertility rate is the number of live births occurring to a particular woman of a particular age or age group per year, normally expressed per 1,000 women
Total Period Fertility Rate (TPFR) is the average number of children that would be born to a cohort of women who experienced throughout their childbearing years the fertility rates of the calendar year in question.

Table 6a
Notified live births by maternal residence by birth weight 2001–10

BELFAST LCG

Year	BIRTH WEIGHT (grammes)									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2001	22	0.5%	270	6.7%	3,739	92.8%	0	0.0%	4,031	100
2002	17	0.4%	270	6.9%	3,613	92.6%	0	0.0%	3,900	100
2003	18	0.4%	243	6.0%	3,795	93.5%	1	0.0%	4,057	100
2004	28	0.7%	267	6.5%	3,797	92.8%	0	0.0%	4,092	100
2005	37	0.9%	243	6.1%	3,720	93.0%	1	0.0%	4,001	100
2006	25	0.6%	283	6.7%	3,920	92.7%	1	0.0%	4,229	100
2007	22	0.5%	226	5.1%	4,182	94.4%	0	0.0%	4,430	100
2008	28	0.6%	304	6.4%	4,415	93.0%	0	0.0%	4,747	100
2009	27	0.6%	311	6.7%	4,338	92.8%	0	0.0%	4,676	100
2010	21	0.4%	290	6.0%	4,536	93.4%	7	0.1%	4,854	100

NORTHERN LCG

Year	BIRTH WEIGHT (grammes)									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2001	23	0.4%	252	4.7%	5,094	94.9%	0	0.0%	5,369	100
2002	42	0.8%	278	5.1%	5,092	94.1%	0	0.0%	5,412	100
2003	25	0.5%	287	5.4%	5,048	94.2%	0	0.0%	5,360	100
2004	19	0.3%	296	5.2%	5,389	94.5%	0	0.0%	5,704	100
2005	25	0.4%	308	5.5%	5,294	94.1%	1	0.0%	5,628	100
2006	23	0.4%	357	6.1%	5,427	93.5%	0	0.0%	5,807	100
2007	18	0.3%	334	5.5%	5,700	94.2%	0	0.0%	6,052	100
2008	37	0.6%	368	5.9%	5,857	93.5%	0	0.0%	6,262	100
2009	27	0.5%	324	5.4%	5,607	94.1%	0	0.0%	5,958	100
2010	22	0.4%	304	4.9%	5,855	94.7%	3	0.0%	6,184	100

SOUTH EASTERN LCG

Year	BIRTH WEIGHT (grammes)									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2001	12	0.3%	217	5.5%	3,750	94.2%	0	0.0%	3,979	100
2002	17	0.4%	223	5.9%	3,569	93.7%	0	0.0%	3,809	100
2003	23	0.6%	210	5.3%	3,713	94.1%	1	0.0%	3,947	100
2004	23	0.6%	205	5.0%	3,837	94.4%	0	0.0%	4,065	100
2005	22	0.5%	235	5.8%	3,765	93.6%	1	0.0%	4,023	100
2006	30	0.7%	238	5.6%	4,018	93.7%	0	0.0%	4,286	100
2007	22	0.5%	240	5.3%	4,268	94.2%	2	0.0%	4,532	100
2008	14	0.3%	234	5.0%	4,440	94.7%	0	0.0%	4,688	100
2009	21	0.5%	246	5.4%	4,280	94.0%	5	0.1%	4,552	100
2010	18	0.4%	216	4.8%	4,303	94.7%	7	0.2%	4,544	100

SOUTHERN LCG

Year	BIRTH WEIGHT (grammes)									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2001	21	0.5%	251	5.6%	4,243	94.0%	0	0.0%	4,515	100
2002	16	0.4%	253	5.7%	4,156	93.9%	1	0.0%	4,426	100
2003	26	0.6%	238	5.3%	4,261	94.2%	0	0.0%	4,525	100
2004	24	0.5%	242	5.1%	4,461	94.4%	0	0.0%	4,727	100
2005	17	0.4%	235	4.9%	4,575	94.8%	0	0.0%	4,827	100
2006	21	0.4%	277	5.5%	4,777	94.1%	0	0.0%	5,075	100
2007	19	0.4%	292	5.4%	5,094	94.2%	1	0.0%	5,406	100
2008	35	0.6%	261	4.7%	5,280	94.6%	6	0.1%	5,582	100
2009	23	0.4%	279	5.0%	5,312	94.6%	4	0.1%	5,618	100
2010	29	0.5%	277	4.8%	5,445	94.4%	14	0.2%	5,765	100

WESTERN LCG

Year	BIRTH WEIGHT (grammes)									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2001	11	0.3%	229	5.9%	3,657	93.8%	0	0.0%	3,897	100
2002	12	0.3%	217	5.6%	3,676	94.1%	0	0.0%	3,905	100
2003	17	0.4%	202	5.2%	3,635	94.3%	1	0.0%	3,855	100
2004	16	0.4%	195	5.1%	3,581	94.4%	0	0.0%	3,792	100
2005	26	0.7%	193	4.9%	3,692	94.4%	0	0.0%	3,911	100
2006	17	0.4%	203	5.0%	3,870	94.6%	0	0.0%	4,090	100
2007	19	0.5%	244	5.9%	3,876	93.6%	0	0.0%	4,139	100
2008	19	0.4%	233	5.5%	4,012	94.1%	0	0.0%	4,264	100
2009	15	0.4%	250	5.9%	3,970	93.7%	0	0.0%	4,235	100
2010	18	0.4%	246	5.8%	3,986	93.7%	4	0.1%	4,254	100

NORTHERN IRELAND

Year	BIRTH WEIGHT (grammes)									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2001	89	0.4%	1,219	5.6%	20,483	94.0%	0	0.0%	21,791	100
2002	104	0.5%	1,241	5.8%	20,106	93.7%	1	0.0%	21,452	100
2003	109	0.5%	1,180	5.4%	20,452	94.1%	3	0.0%	21,744	100
2004	110	0.5%	1,205	5.4%	21,065	94.1%	0	0.0%	22,380	100
2005	127	0.6%	1,214	5.4%	21,046	94.0%	3	0.0%	22,390	100
2006	116	0.5%	1,358	5.8%	22,012	93.7%	1	0.0%	23,487	100
2007	100	0.4%	1,336	5.4%	23,120	94.1%	3	0.0%	24,559	100
2008	133	0.5%	1,400	5.5%	24,004	94.0%	6	0.0%	25,543	100
2009	113	0.5%	1,410	5.6%	23,507	93.9%	9	0.0%	25,039	100
2010	108	0.4%	1,333	5.2%	24,125	94.2%	35	0.1%	25,601	100

SOURCE: Child Health System

FOOTNOTE: Percentages may not total 100 due to rounding.

Table 6b
Notified still births by maternal residence by birth weight 2001–10

BELFAST LCG

Year	BIRTH WEIGHT (grammes)									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2001	7	26.9%	8	30.8%	11	42.3%	0	0.0%	26	100
2002	9	36.0%	12	48.0%	4	16.0%	0	0.0%	25	100
2003	6	31.6%	10	52.6%	3	15.8%	0	0.0%	19	100
2004	7	30.4%	10	43.5%	5	21.7%	1	4.3%	23	100
2005	3	23.1%	4	30.8%	6	46.2%	0	0.0%	13	100
2006	2	11.1%	6	33.3%	10	55.6%	0	0.0%	18	100
2007	4	22.2%	8	44.4%	6	33.3%	0	0.0%	18	100
2008	8	47.1%	4	23.5%	5	29.4%	0	0.0%	17	100
2009	7	28.0%	7	28.0%	10	40.0%	1	4.0%	25	100
2010	5	31.3%	4	25.0%	6	37.5%	1	6.3%	16	100

NORTHERN LCG

Year	BIRTH WEIGHT (grammes)									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2001	9	32.1%	12	42.9%	7	25.0%	0	0.0%	28	100
2002	10	33.3%	12	40.0%	8	26.7%	0	0.0%	30	100
2003	6	24.0%	9	36.0%	9	36.0%	1	4.0%	25	100
2004	7	25.9%	9	33.3%	11	40.7%	0	0.0%	27	100
2005	4	19.0%	9	42.9%	8	38.1%	0	0.0%	21	100
2006	3	20.0%	5	33.3%	7	46.7%	0	0.0%	15	100
2007	14	37.8%	15	40.5%	8	21.6%	0	0.0%	37	100
2008	7	25.0%	10	35.7%	11	39.3%	0	0.0%	28	100
2009	11	32.4%	15	44.1%	8	23.5%	0	0.0%	34	100
2010	8	34.8%	5	21.7%	10	43.5%	0	0.0%	23	100

SOUTH EASTERN LCG

Year	BIRTH WEIGHT (grammes)									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2001	8	36.4%	4	18.2%	9	40.9%	1	4.5%	22	100
2002	5	22.7%	12	54.5%	5	22.7%	0	0.0%	22	100
2003	6	37.5%	5	31.3%	4	25.0%	1	6.3%	16	100
2004	11	47.8%	5	21.7%	7	30.4%	0	0.0%	23	100
2005	4	16.7%	11	45.8%	9	37.5%	0	0.0%	24	100
2006	7	30.4%	10	43.5%	6	26.1%	0	0.0%	23	100
2007	5	45.5%	4	36.4%	1	9.1%	1	9.1%	11	100
2008	2	9.1%	15	68.2%	5	22.7%	0	0.0%	22	100
2009	4	19.0%	6	28.6%	11	52.4%	0	0.0%	21	100
2010	6	21.4%	8	28.6%	13	46.4%	1	3.6%	28	100

SOUTHERN LCG

Year	BIRTH WEIGHT (grammes)									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2001	4	21.1%	9	47.4%	6	31.6%	0	0.0%	19	100
2002	5	27.8%	9	50.0%	4	22.2%	0	0.0%	18	100
2003	14	43.8%	10	31.3%	7	21.9%	1	3.1%	32	100
2004	5	27.8%	7	38.9%	6	33.3%	0	0.0%	18	100
2005	6	28.6%	7	33.3%	8	38.1%	0	0.0%	21	100
2006	5	31.3%	5	31.3%	6	37.5%	0	0.0%	16	100
2007	5	25.0%	7	35.0%	8	40.0%	0	0.0%	20	100
2008	8	26.7%	12	40.0%	10	33.3%	0	0.0%	30	100
2009	6	21.4%	12	42.9%	10	35.7%	0	0.0%	28	100
2010	7	31.8%	8	36.4%	6	27.3%	1	4.5%	22	100

WESTERN LCG

Year	BIRTH WEIGHT (grammes)									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2001	3	16.7%	7	38.9%	8	44.4%	0	0.0%	18	100
2002	4	17.4%	7	30.4%	12	52.2%	0	0.0%	23	100
2003	3	14.3%	5	23.8%	13	61.9%	0	0.0%	21	100
2004	9	33.3%	11	40.7%	7	25.9%	0	0.0%	27	100
2005	3	23.1%	5	38.5%	5	38.5%	0	0.0%	13	100
2006	3	17.6%	8	47.1%	6	35.3%	0	0.0%	17	100
2007	11	52.4%	6	28.6%	4	19.0%	0	0.0%	21	100
2008	2	10.5%	7	36.8%	10	52.6%	0	0.0%	19	100
2009	4	28.6%	5	35.7%	5	35.7%	0	0.0%	14	100
2010	4	18.2%	15	68.2%	3	13.6%	0	0.0%	22	100

NORTHERN IRELAND

Year	BIRTH WEIGHT (grammes)									
	Under 1000		1000 - 2499		2500 and over		Not recorded		Total	
	No	%	No	%	No	%	No	%	No	%
2001	31	27.4%	40	35.4%	41	36.3%	1	0.9%	113	100
2002	33	28.0%	52	44.1%	33	28.0%	0	0.0%	118	100
2003	35	31.0%	39	34.5%	36	31.9%	3	2.7%	113	100
2004	39	33.1%	42	35.6%	36	30.5%	1	0.8%	118	100
2005	20	21.7%	36	39.1%	36	39.1%	0	0.0%	92	100
2006	20	22.5%	34	38.2%	35	39.3%	0	0.0%	89	100
2007	39	36.4%	40	37.4%	27	25.2%	1	0.9%	107	100
2008	27	23.3%	48	41.4%	41	35.3%	0	0.0%	116	100
2009	32	26.2%	45	36.9%	44	36.1%	1	0.8%	122	100
2010	30	27.0%	40	36.0%	38	34.2%	3	2.7%	111	100

SOURCE: Child Health System

FOOTNOTE: Percentages may not total 100 due to rounding
 The **Stillbirth (Definition) Act 1992** redefined a stillbirth, from 1 October 1992, as a child which had issued forth from its mother after the 24th week of pregnancy and which did not breathe or show any other sign of life. Prior to 1 October 1992 the statistics related to events occurring after the 28th week of pregnancy.

Table 7a
Infant/perinatal death rates, Northern Ireland 2001–10

Year	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
2001	187	8.4	98	4.4	36	1.6	134	6.0
2002	191	8.7	73	3.4	27	1.2	100	4.6
2003	177	8.0	87	3.9	28	1.3	115	5.2
2004	185	8.0	83	3.6	39	1.7	122	5.3
2005	185	8.1	111	4.9	29	1.3	140	6.1
2006	165	6.9	90	3.8	31	1.3	121	5.1
2007	174	6.9	81	3.2	42	1.7	123	4.9
2008	194	7.4	95	3.6	28	1.1	123	4.7
2009	199	7.8	97	3.8	33	1.3	130	5.1
2010	203	7.8	116	4.5	30	1.2	146	5.7

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: **Perinatal mortality rate:** Number of stillbirths and deaths in the first week of life per 1,000 live and stillbirths per annum (including non Northern Ireland residents).
Neonatal mortality rate: Number of deaths in the first four weeks of life per 1,000 live births per annum (including non Northern Ireland residents).
Post neonatal mortality rate: Number of deaths after the first four weeks but before the end of the first year per 1,000 live births per annum (including non Northern Ireland residents).
Infant mortality rate: Number of deaths in the first year of life per 1,000 live births per annum (including non Northern Ireland residents).
The **Stillbirth (Definition) Act 1992** redefined a stillbirth, from 1 October 1992, as a child which had issued forth from its mother after the 24th week of pregnancy and which did not breathe or show any other sign of life. Prior to 1 October 1992 the statistics related to events occurring after the 28th week of pregnancy.

Table 7b
Infant/perinatal death rates, LCGs 2001–10

BELFAST LCG

Year	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
2001	38	9.1	16	3.9	9	2.2	25	6.1
2002	33	8.2	8	2.0	7	1.8	15	3.8
2003	29	7.0	16	3.9	11	2.7	27	6.5
2004	37	8.6	22	5.1	6	1.4	28	6.5
2005	37	9.1	29	7.1	11	2.7	40	9.8
2006	28	6.7	14	3.4	4	1.0	18	4.3
2007	31	6.9	17	3.8	8	1.8	25	5.6
2008	39	8.1	21	4.4	9	1.9	30	6.3
2009	42	8.9	19	4.0	5	1.1	24	5.1
2010	30	6.2	17	3.5	9	1.9	26	5.4

NORTHERN LCG

Year	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
2001	48	8.8	25	4.6	8	1.5	33	6.1
2002	55	10.1	25	4.6	6	1.1	31	5.7
2003	38	7.1	17	3.2	7	1.3	24	4.5
2004	32	5.6	8	1.4	7	1.2	15	2.6
2005	36	6.4	21	3.7	5	0.9	26	4.6
2006	31	5.3	20	3.5	7	1.2	27	4.7
2007	51	8.4	16	2.7	10	1.7	26	4.3
2008	46	7.2	22	3.5	7	1.1	29	4.6
2009	55	9.2	26	4.4	10	1.7	36	6.0
2010	43	7.0	24	3.9	6	1.0	30	4.9

SOUTH EASTERN LCG

Year	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
2001	34	8.5	15	3.8	7	1.8	22	5.5
2002	29	7.7	9	2.4	5	1.3	14	3.7
2003	25	6.3	13	3.3	3	0.8	16	4.0
2004	40	9.8	18	4.4	8	2.0	26	6.4
2005	40	10.0	18	4.5	6	1.5	24	6.0
2006	40	9.4	22	5.2	4	0.9	26	6.1
2007	23	5.1	12	2.7	8	1.8	20	4.4
2008	29	6.2	10	2.1	4	0.9	14	3.0
2009	37	8.1	19	4.2	5	1.1	24	5.3
2010	41	9.0	21	4.7	0	0.0	21	4.7

SOUTHERN LCG

Year	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
2001	38	8.1	27	5.8	6	1.3	33	7.0
2002	33	7.1	14	3.0	4	0.9	18	3.9
2003	48	10.2	25	5.3	4	0.9	29	6.2
2004	40	8.1	23	4.6	7	1.4	30	6.1
2005	33	6.4	15	2.9	5	1.0	20	3.9
2006	40	7.4	21	3.9	7	1.3	28	5.2
2007	36	6.3	19	3.3	9	1.6	28	4.9
2008	51	8.5	26	4.3	4	0.7	30	5.0
2009	38	6.4	16	2.7	6	1.0	22	3.7
2010	47	7.9	31	5.2	8	1.3	39	6.5

WESTERN LCG

Year	Perinatal		Neonatal		Post neonatal		Infant	
	No	Rate	No	Rate	No	Rate	No	Rate
2001	29	7.2	15	3.7	6	1.5	21	5.2
2002	41	10.2	17	4.3	5	1.3	22	5.5
2003	37	9.3	16	4.1	3	0.8	19	4.8
2004	36	9.2	12	3.1	11	2.8	23	5.9
2005	39	9.7	28	7.0	2	0.5	30	7.5
2006	26	6.2	13	3.1	9	2.1	22	5.2
2007	33	7.8	17	4.0	7	1.7	24	5.7
2008	29	6.5	16	3.6	4	0.9	20	4.5
2009	27	6.1	17	3.9	7	1.6	24	5.5
2010	42	9.6	23	5.3	7	1.6	30	6.9

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: **Perinatal mortality rate:** Number of stillbirths and deaths in the first week of life per 1,000 live and stillbirths per annum (including non Northern Ireland residents).
Neonatal mortality rate: Number of deaths in the first four weeks of life per 1,000 live births per annum (including non Northern Ireland residents).
Post neonatal mortality rate: Number of deaths after the first four weeks but before the end of the first year per 1,000 live births per annum (including non Northern Ireland residents).
Infant mortality rate: Number of deaths in the first year of life per 1,000 live births per annum (including non Northern Ireland residents).
The **Stillbirth (Definition) Act 1992** redefined a stillbirth, from 1 October 1992, as a child which had issued forth from its mother after the 24th week of pregnancy and which did not breathe or show any other sign of life. Prior to 1 October 1992 the statistics related to events occurring after the 28th week of pregnancy.

Table 8
Standardised mortality ratios, age 1–14 years, LCGs 2006–10

Local Commissioning Group	ALL CAUSES (2006-2010)		ACCIDENTS (ICD10: V00-X59) (2006-2010)	
	DEATHS	S.M.R.	DEATHS	S.M.R.
Belfast	36	71	14	103
Northern	57	84	14	77
South Eastern	52	103	8	59
Southern	69	127	18	124
Western	60	120	19	143
NORTHERN IRELAND	274	100	73	100

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision)

Table 9a
Directly standardised death rates, selected major causes of death age 15–74 years,
Northern Ireland 2001–10

(i) Male

Condition	ICD10 CODE	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
All Causes		575.2	578.4	543.2	495.7	526.8	524.9	516.1	506.3	474.5	489.7
Cancer of Stomach	C16	10.5	8.9	9.2	10.4	7.4	7.1	6.7	4.8	6.8	5.0
Cancer of Colon	C18	13.8	14.9	17.2	16.0	13.6	12.3	13.8	12.7	10.9	11.5
Cancer of Rectum	C19-C21	6.5	4.4	9.5	9.5	7.9	8.1	9.8	7.4	7.7	8.2
Cancer of Lung	C33-C34	56.1	54.5	49.0	48.6	47.7	53.0	45.6	51.5	44.7	48.1
Ischaemic Heart Disease	I20-I25	140.9	134.1	120.6	112.9	107.9	102.4	99.7	87.6	82.7	83.2
Cerebrovascular Disease	I60-I69	27.5	34.0	30.2	25.3	24.5	24.1	18.9	20.1	18.5	20.6
Respiratory Diseases	J00-J99	46.5	41.4	52.6	47.9	43.7	35.7	40.2	41.9	38.3	35.6
Diseases of the genitourinary system	N00-N99	5.7	5.9	4.5	3.8	5.3	5.6	5.1	4.2	2.8	3.4
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	16.1	15.7	13.6	15.0	18.7	16.6	17.2	14.6	13.8	10.4
Suicide/self inflicted injuries	X60-X84, Y87.0	19.3	21.2	16.4	16.6	23.4	30.8	23.2	29.6	27.8	27.5

(ii) Female

Condition	ICD10 CODE	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
All causes		346.3	343.6	328.9	300.9	306.2	312.4	302.5	305.5	308.6	297.8
Cancer of Stomach	C16	5.2	4.5	3.8	4.0	3.6	4.5	3.4	3.1	2.3	3.5
Cancer of Colon	C18	7.4	7.1	9.3	10.4	9.3	8.3	9.2	7.6	7.7	6.8
Cancer of Rectum	C19-C21	3.7	4.0	6.2	4.3	3.7	2.3	2.8	4.5	4.6	3.6
Cancer of Lung	C33-C34	27.2	28.1	26.7	28.9	26.3	27.0	27.2	27.1	31.2	31.0
Cancer of Breast	C50	31.1	26.5	25.1	31.6	25.1	26.9	24.9	26.5	26.9	23.5
Cancer of Cervix	C53	3.0	2.6	3.2	3.2	1.6	3.0	1.6	2.7	1.9	1.7
Ischaemic Heart Disease	I20-I25	54.3	49.8	40.7	38.0	38.8	37.7	32.5	30.6	30.2	26.1
Cerebrovascular Disease	I60-I69	23.9	25.7	19.9	19.0	16.5	17.7	18.4	17.8	13.7	16.7
Respiratory Diseases	J00-J99	31.1	33.9	33.7	32.0	26.7	26.9	27.3	28.8	31.4	28.3
Diseases of the genitourinary system	N00-N99	4.1	5.3	4.1	4.9	3.7	3.2	4.7	3.4	4.7	3.8
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	4.2	4.1	3.3	5.1	5.3	5.0	4.8	5.0	2.2	3.6
Suicide/self inflicted injuries	X60-X84, Y87.0	3.5	4.4	4.5	6.2	5.4	7.4	8.4	7.9	5.4	8.1

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTES: ICD = International Classification of Diseases (10th Revision).
 In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001.
 Rates are per 100,000 population
 All rates are standardised to the revised 2001 home mid year estimate

Table 9b**Age standardised death rates (standardised to EU populations), selected major causes of death age 15–74 years, Northern Ireland 2001–10****(i) Male**

Condition	ICD10 CODE	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
All Causes		576.3	581.5	543.4	543.8	530.6	529.1	521.3	508.5	477.3	493.9
Cancer of Stomach	C16	10.6	8.8	9.4	10.2	7.4	7.1	6.6	4.7	6.6	5.1
Cancer of Colon	C18	14.0	14.9	17.5	14.5	13.6	12.4	14.2	12.9	11.1	11.5
Cancer of Rectum	C19-C21	6.6	4.5	9.8	9.2	8.1	8.3	9.8	7.4	7.7	8.4
Cancer of Lung	C33-C34	56.1	54.9	49.1	47.7	48.2	53.1	46.2	51.7	44.8	48.2
Ischaemic Heart Disease	I20-I25	141.9	135.3	121.2	121.4	108.9	103.9	101.4	88.6	83.2	84.3
Cerebrovascular Disease	I60-I69	27.3	33.1	29.9	26.2	24.3	24.0	18.9	20.0	18.5	20.8
Respiratory Diseases	J00-J99	46.0	41.0	51.5	47.1	43.0	35.5	39.5	41.7	38.1	35.3
Diseases of the genitourinary system	N00-N99	5.6	5.9	4.6	3.1	5.3	5.4	5.0	4.1	2.7	3.4
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	15.6	15.3	13.4	14.9	18.4	16.4	16.9	14.3	13.5	10.3
Suicide/self inflicted injuries	X60-X84, Y87.0	18.9	21.0	16.3	15.1	23.2	30.8	23.3	29.3	27.6	27.4

(ii) Female

Condition	ICD10 CODE	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
All causes		347.1	345.5	330.1	330.3	308.1	315.1	305.4	308.6	311.0	301.1
Cancer of Stomach	C16	5.1	4.4	3.8	4.0	3.6	4.4	3.5	3.1	2.5	3.5
Cancer of Colon	C18	7.3	7.2	9.5	9.5	9.5	8.3	9.3	7.6	7.8	6.8
Cancer of Rectum	C19-C21	3.7	4.2	6.4	4.9	3.8	2.4	2.8	4.6	4.6	3.7
Cancer of Lung	C33-C34	27.4	28.5	26.9	28.3	26.5	27.6	27.6	27.5	31.6	31.5
Cancer of Breast	C50	32.3	27.3	26.0	31.4	26.2	28.0	25.5	27.4	27.5	24.3
Cancer of Cervix	C53	3.1	2.7	3.3	3.7	1.7	3.2	1.7	2.7	1.9	1.8
Ischaemic Heart Disease	I20-I25	53.3	49.2	40.3	41.2	38.4	37.6	32.3	30.2	29.9	26.1
Cerebrovascular Disease	I60-I69	23.8	25.6	19.8	21.7	16.2	17.6	18.1	17.9	13.7	16.5
Respiratory Diseases	J00-J99	30.7	33.9	33.2	31.3	26.6	26.7	27.4	28.5	31.1	28.1
Diseases of the genitourinary system	N00-N99	4.1	5.2	4.1	4.4	3.6	3.1	4.6	3.4	4.6	3.9
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	4.0	4.0	3.2	5.8	5.2	4.9	4.7	5.0	2.1	3.5
Suicide/self inflicted injuries	X60-X84, Y87.0	3.5	4.4	4.5	4.9	5.5	7.5	8.5	7.9	5.3	8.2

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision). In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001.

Rates are per 100,000 population. All rates are standardised to the Standard EU population (Source: Health Statistics - Atlas on mortality in the European Union, Annexe 1)

http://epp.eurostat.ec.europa.eu/cache/ITY_SDDS/Annexes/hlth_cdeath_esms_an1.pdf

Table 9c
Directly standardised death rates, selected major causes of death age 15–74 years,
LCGs 2001–10

BELFAST LCG

Condition	ICD10 CODE	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
(i) Male											
All Causes		670.0	733.4	641.4	640.4	652.7	621.8	663.9	707.0	623.9	633.7
Cancer of Stomach	C16	9.4	13.5	9.5	13.0	12.1	6.1	8.8	6.1	10.3	6.7
Cancer of Colon	C18	13.7	11.9	25.7	15.5	19.0	18.3	19.1	17.2	13.0	16.0
Cancer of Rectum	C19-C21	5.0	6.0	10.4	10.4	9.5	7.8	13.9	9.4	12.9	10.3
Cancer of Lung	C33-C34	80.2	79.7	73.5	73.1	59.8	87.1	77.2	84.6	60.6	83.0
Ischaemic Heart Disease	I20-I25	151.4	154.5	124.3	130.5	131.9	116.6	106.4	106.0	117.7	95.6
Cerebrovascular Disease	I60-I69	29.6	44.8	42.6	36.9	23.5	33.1	30.4	30.5	30.3	30.2
Respiratory Diseases	J00-J99	57.2	60.2	66.7	54.9	57.1	47.9	60.7	63.0	54.5	57.2
Diseases of the genitourinary system	N00-N99	6.7	10.3	6.1	4.3	8.7	7.9	3.5	4.3	5.1	4.2
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	11.6	11.3	11.0	10.7	13.2	9.3	9.9	12.5	8.9	2.3
Suicide/self inflicted injuries	X60-X84, Y87.0	23.8	23.7	20.0	17.8	30.7	34.7	28.9	40.1	42.1	29.7
(ii) Female											
All causes		397.1	392.9	379.4	382.5	342.1	377.2	367.3	356.2	379.1	360.8
Cancer of Stomach	C16	8.6	3.7	5.8	2.7	2.8	5.8	5.7	4.3	3.0	3.7
Cancer of Colon	C18	8.3	6.4	4.5	12.4	8.1	10.4	11.2	6.6	7.8	6.9
Cancer of Rectum	C19-C21	2.6	2.0	6.1	6.4	4.5	2.2	2.4	6.0	4.5	6.4
Cancer of Lung	C33-C34	35.5	42.6	36.2	40.1	35.9	39.2	38.9	38.9	48.2	42.2
Cancer of Breast	C50	33.7	34.3	23.9	28.7	21.8	25.7	26.8	29.0	24.7	20.3
Cancer of Cervix	C53	2.2	3.5	3.2	3.6	3.8	3.1	0.7	3.1	3.2	2.3
Ischaemic Heart Disease	I20-I25	56.5	48.2	38.4	53.6	41.0	45.7	40.8	38.8	45.1	31.3
Cerebrovascular Disease	I60-I69	25.2	26.5	25.1	21.2	21.4	21.4	16.6	26.9	17.9	26.6
Respiratory Diseases	J00-J99	39.5	40.7	45.1	40.4	33.3	29.3	38.6	29.1	38.4	39.3
Diseases of the genitourinary system	N00-N99	6.6	4.1	5.9	3.2	2.8	6.3	4.1	3.1	7.0	4.3
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	3.7	0.6	1.4	4.0	0.7	1.6	4.6	2.3	0.0	1.4
Suicide/self inflicted injuries	X60-X84, Y87.0	4.7	4.8	5.5	8.5	5.6	10.8	12.2	6.6	10.3	12.5

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision)
 In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001.
 Rates are per 100,000 population. All rates are standardised to the revised 2001 home mid year estimate

NORTHERN LCG

Condition	ICD10 CODE	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
(i) Male											
All Causes		543.2	532.0	504.1	510.6	482.7	495.2	466.6	463.7	433.9	459.2
Cancer of Stomach	C16	10.5	6.6	7.0	9.8	7.4	10.7	4.7	3.4	4.5	4.9
Cancer of Colon	C18	15.3	16.4	10.2	15.7	13.0	12.6	9.9	10.4	9.4	11.1
Cancer of Rectum	C19-C21	6.0	7.1	11.6	8.6	6.7	7.9	8.2	6.9	8.4	7.1
Cancer of Lung	C33-C34	49.4	54.8	40.5	45.1	44.1	44.8	42.1	44.3	41.8	45.5
Ischaemic Heart Disease	I20-I25	142.3	122.1	106.1	120.4	97.6	99.8	91.5	85.2	72.0	76.3
Cerebrovascular Disease	I60-I69	23.7	34.4	30.0	20.1	29.6	19.3	15.0	16.2	12.9	18.2
Respiratory Diseases	J00-J99	40.1	32.8	53.6	42.4	34.3	35.3	32.9	32.0	33.4	34.7
Diseases of the genitourinary system	N00-N99	7.4	3.3	1.9	2.4	4.2	5.4	6.0	5.2	1.7	3.3
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	12.4	17.5	13.6	19.4	19.5	15.4	16.5	14.5	17.0	16.0
Suicide/self inflicted injuries	X60-X84, Y87.0	15.7	20.2	16.0	10.9	20.5	28.1	18.7	23.9	24.1	25.5
(ii) Female											
All causes		337.8	312.5	310.7	299.5	293.5	293.8	267.2	289.9	278.2	271.1
Cancer of Stomach	C16	4.8	3.6	2.3	4.5	3.5	5.0	0.5	3.1	2.6	1.6
Cancer of Colon	C18	7.8	6.4	9.9	11.5	10.1	7.7	10.2	5.3	7.7	6.6
Cancer of Rectum	C19-C21	3.6	1.2	6.3	4.0	3.3	3.3	2.8	7.0	5.2	1.5
Cancer of Lung	C33-C34	23.8	24.0	17.9	24.6	28.8	20.8	18.9	29.2	26.6	24.5
Cancer of Breast	C50	26.6	20.9	28.7	32.7	24.7	29.7	22.5	25.4	23.4	20.4
Cancer of Cervix	C53	4.4	1.2	4.6	1.1	0.0	1.1	1.1	2.3	1.6	1.3
Ischaemic Heart Disease	I20-I25	57.2	40.9	38.7	34.4	29.8	35.8	29.3	27.5	23.6	24.8
Cerebrovascular Disease	I60-I69	24.8	25.4	20.4	23.4	13.8	20.2	17.7	13.9	12.2	12.6
Respiratory Diseases	J00-J99	31.7	28.6	33.0	29.7	25.2	24.8	25.4	28.5	26.5	27.0
Diseases of the genitourinary system	N00-N99	2.4	5.2	2.9	5.2	3.9	2.8	6.5	2.1	4.6	4.2
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	4.4	5.0	3.3	6.4	5.4	7.6	7.9	6.7	1.2	4.0
Suicide/self inflicted injuries	X60-X84, Y87.0	1.9	5.2	3.3	2.3	5.4	6.0	4.3	4.1	1.1	4.4

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision).

In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001.

Rates are per 100,000 population. All rates are standardised to the revised 2001 home mid year estimate

SOUTH EASTERN LCG

Condition	ICD10 CODE	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
(i) Male											
All Causes		519.7	500.9	478.1	492.0	475.4	445.4	464.0	405.2	398.2	408.8
Cancer of Stomach	C16	10.0	2.5	9.2	12.2	7.0	7.1	9.5	3.0	5.1	3.6
Cancer of Colon	C18	9.9	21.2	13.8	14.8	10.1	6.4	17.0	6.7	6.5	8.5
Cancer of Rectum	C19-C21	7.9	3.5	8.1	10.0	6.5	5.6	8.5	9.2	4.1	4.2
Cancer of Lung	C33-C34	51.8	38.1	38.4	37.8	38.5	38.2	38.2	38.1	32.9	36.4
Ischaemic Heart Disease	I20-I25	119.1	122.8	114.1	97.8	90.5	96.1	84.6	66.6	74.7	64.2
Cerebrovascular Disease	I60-I69	28.4	33.2	19.9	22.0	20.7	20.4	18.1	21.5	13.1	18.2
Respiratory Diseases	J00-J99	42.0	36.7	39.1	46.1	42.5	22.9	34.4	39.6	29.3	25.0
Diseases of the genitourinary system	N00-N99	5.4	1.6	3.6	3.4	4.2	4.8	6.7	5.3	1.4	2.8
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	13.2	12.9	17.2	13.8	15.5	8.2	10.6	14.4	11.5	5.9
Suicide/self inflicted injuries	X60-X84, Y87.0	20.4	21.0	15.0	12.9	23.4	24.3	18.6	19.2	15.8	31.1
(ii) Female											
All causes		286.2	322.9	320.4	286.1	280.9	263.1	292.2	286.8	275.7	284.7
Cancer of Stomach	C16	2.4	3.8	3.1	4.5	5.1	1.5	3.5	2.3	2.0	2.6
Cancer of Colon	C18	2.4	5.4	13.7	8.8	9.4	5.9	11.5	10.0	7.3	6.9
Cancer of Rectum	C19-C21	3.9	7.7	6.7	5.4	1.4	2.1	2.8	4.1	7.7	3.9
Cancer of Lung	C33-C34	21.3	23.9	30.4	20.5	17.7	18.8	27.9	17.6	25.4	26.2
Cancer of Breast	C50	33.1	22.5	22.7	30.0	26.8	23.6	25.3	26.5	24.0	29.3
Cancer of Cervix	C53	2.5	2.5	1.7	4.4	2.1	3.8	3.9	3.1	1.5	2.6
Ischaemic Heart Disease	I20-I25	44.1	52.6	41.2	28.3	40.5	27.3	33.9	31.3	26.3	23.4
Cerebrovascular Disease	I60-I69	22.1	22.5	20.6	17.1	16.2	15.8	16.1	16.0	15.4	17.1
Respiratory Diseases	J00-J99	29.1	38.3	26.8	27.1	21.2	26.2	24.4	33.0	31.2	26.0
Diseases of the genitourinary system	N00-N99	4.7	3.1	2.3	5.2	3.0	1.5	4.1	3.5	4.0	2.6
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	4.4	3.5	0.9	5.2	2.6	3.2	3.5	2.1	0.7	4.1
Suicide/self inflicted injuries	X60-X84, Y87.0	4.1	6.7	5.0	5.0	7.4	6.0	5.0	7.9	4.2	8.9

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision).

In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001.

Rates are per 100,000 population. All rates are standardised to the revised 2001 home mid year estimate

SOUTHERN LCG

Condition	ICD10 CODE	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
(i) Male											
All Causes		577.6	543.8	539.7	527.2	506.9	532.5	443.1	473.4	473.3	470.2
Cancer of Stomach	C16	12.7	7.7	12.0	6.6	4.6	1.6	4.3	5.2	7.3	4.7
Cancer of Colon	C18	10.6	12.2	19.6	8.2	10.6	12.1	12.6	17.1	14.6	10.9
Cancer of Rectum	C19-C21	6.0	1.9	12.0	8.2	7.0	10.4	6.8	7.5	9.0	8.5
Cancer of Lung	C33-C34	46.4	44.2	45.2	39.3	51.4	44.7	25.1	45.9	40.9	37.5
Ischaemic Heart Disease	I20-I25	143.2	131.5	134.6	128.8	107.8	113.6	107.8	86.2	79.4	90.2
Cerebrovascular Disease	I60-I69	36.2	26.3	24.6	27.6	25.3	25.4	11.2	15.7	18.4	16.1
Respiratory Diseases	J00-J99	48.2	34.0	49.0	42.9	36.6	37.6	36.6	35.5	39.8	28.5
Diseases of the genitourinary system	N00-N99	4.0	8.0	6.5	1.0	2.8	3.7	1.7	2.5	4.1	3.1
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	26.1	14.3	13.9	14.8	26.7	24.1	20.4	15.4	13.0	13.7
Suicide/self inflicted injuries	X60-X84, Y87.0	20.5	22.2	18.2	20.6	20.4	28.6	24.0	37.6	25.4	20.2
(ii) Female											
All causes		328.5	330.5	313.5	327.3	298.6	303.4	275.6	311.9	303.1	295.1
Cancer of Stomach	C16	4.3	4.2	4.2	3.3	3.3	5.7	5.5	2.3	3.0	1.5
Cancer of Colon	C18	8.7	5.1	11.8	4.1	6.5	7.3	5.5	8.5	8.4	8.9
Cancer of Rectum	C19-C21	2.6	6.1	7.6	6.7	3.3	2.4	3.1	2.3	3.0	3.7
Cancer of Lung	C33-C34	20.0	17.1	19.4	25.7	16.3	27.3	20.5	26.2	30.1	26.9
Cancer of Breast	C50	35.6	26.8	25.5	33.4	26.2	34.3	28.4	27.0	36.4	27.6
Cancer of Cervix	C53	0.0	1.7	3.4	4.2	0.8	3.3	0.8	1.5	1.6	1.4
Ischaemic Heart Disease	I20-I25	58.1	61.4	43.7	47.2	40.8	37.1	28.3	30.9	26.5	24.4
Cerebrovascular Disease	I60-I69	19.2	29.9	11.8	25.7	18.0	10.5	21.4	17.0	9.1	14.9
Respiratory Diseases	J00-J99	21.7	27.4	28.6	24.9	26.3	22.6	17.4	25.5	25.9	22.4
Diseases of the genitourinary system	N00-N99	1.7	4.3	2.6	3.3	5.7	4.1	1.6	6.1	4.6	2.9
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	5.4	7.7	4.4	8.6	12.7	6.6	4.0	4.7	3.9	2.3
Suicide/self inflicted injuries	X60-X84, Y87.0	3.6	1.8	3.5	0.8	5.0	4.9	12.1	10.3	7.1	6.9

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision).

In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001.

Rates are per 100,000 population. All rates are standardised to the revised 2001 home mid year estimate

WESTERN LCG

Condition	ICD10 CODE	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
(i) Male											
All Causes		572.0	593.4	577.4	543.5	540.6	551.0	578.9	521.7	482.0	510.9
Cancer of Stomach	C16	10.0	15.9	9.8	8.1	5.1	8.5	7.1	7.7	8.2	5.5
Cancer of Colon	C18	21.0	11.0	19.8	17.9	15.7	12.8	11.6	13.9	12.7	12.0
Cancer of Rectum	C19-C21	8.1	2.0	4.5	8.2	11.3	9.7	13.3	3.8	3.7	12.7
Cancer of Lung	C33-C34	51.2	52.1	50.2	40.6	46.3	56.5	48.6	50.3	51.7	42.5
Ischaemic Heart Disease	I20-I25	151.9	146.4	133.1	125.4	119.1	85.0	116.5	101.1	76.1	98.7
Cerebrovascular Disease	I60-I69	20.4	28.6	34.7	29.2	20.9	24.1	22.7	19.0	22.4	23.2
Respiratory Diseases	J00-J99	45.8	46.0	55.1	53.6	53.3	35.7	39.9	45.7	39.0	35.5
Diseases of the genitourinary system	N00-N99	3.5	8.0	6.2	5.3	7.3	6.5	6.9	2.9	2.0	3.9
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	18.7	21.9	12.5	15.8	18.1	26.8	30.0	16.3	18.2	12.1
Suicide/self inflicted injuries	X60-X84, Y87.0	17.6	20.3	13.1	14.8	23.5	40.9	27.4	29.1	35.4	33.2
(ii) Female											
All causes		387.2	369.7	320.9	359.1	324.9	338.0	327.0	287.3	325.1	289.5
Cancer of Stomach	C16	5.3	8.3	4.0	4.9	2.9	3.7	2.8	3.7	0.9	9.9
Cancer of Colon	C18	10.5	14.5	7.1	9.0	12.6	11.7	6.3	9.1	7.3	4.4
Cancer of Rectum	C19-C21	6.4	4.2	4.1	2.1	6.9	0.9	2.9	1.8	1.8	3.5
Cancer of Lung	C33-C34	39.4	33.3	31.7	26.9	32.2	32.3	34.2	22.1	27.8	40.4
Cancer of Breast	C50	27.2	30.6	21.8	27.3	26.7	19.7	22.2	25.4	27.3	20.8
Cancer of Cervix	C53	6.0	5.1	3.0	5.8	2.0	4.6	1.8	3.6	1.8	0.9
Ischaemic Heart Disease	I20-I25	55.3	50.1	43.1	45.2	48.3	45.6	30.2	24.3	32.6	27.3
Cerebrovascular Disease	I60-I69	27.3	23.8	20.7	22.0	12.9	19.1	20.8	16.4	14.4	13.2
Respiratory Diseases	J00-J99	30.6	36.5	35.2	36.1	28.5	33.8	32.2	27.6	39.3	28.1
Diseases of the genitourinary system	N00-N99	5.3	11.3	8.2	5.9	3.0	0.9	6.8	2.8	2.6	5.2
Motor Vehicle Traffic Accidents	V01-V80,V87,V89,Y85	3.0	3.9	6.8	5.8	5.8	5.7	2.8	9.2	5.7	6.6
Suicide/self inflicted injuries	X60-X84, Y87.0	3.9	2.9	5.8	8.6	3.8	10.2	10.2	12.8	5.6	9.1

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision).

In 2001, ICD10 classification of diseases was introduced to replace ICD09. There was a change in the selection rules between ICD09 and ICD10 and this had a significant effect on the way pneumonia and bronchopneumonia were coded and therefore there has been a fall in the number of deaths from these causes since the implementation of ICD10 in 2001.

Rates are per 100,000 population. All rates are standardised to the revised 2001 home mid year estimate

Table 10a
Mortality by cause, Northern Ireland 2010

Condition	ICD Number	Total Deaths		Number of Deaths by Age Group					
		Males	Females	Male			Female		
				0-14	15-74	75+	0-14	15-74	75+
ALL CAUSES		7,066	7,391	101	3,307	3,658	90	2,160	5,141
Infectious Diseases	A00-B99	77	97	5	24	48	1	28	68
Cancer of Stomach	C16	76	55	0	34	42	0	25	30
Cancer of Colon	C18	143	127	0	78	65	0	49	78
Cancer of Rectum and Anus	C19-C21	91	58	0	56	35	0	27	31
Cancer of Pancreas	C25	88	98	0	57	31	0	42	56
Cancer of Trachea, Bronchus and Lung	C33-C34	539	370	0	327	212	0	227	143
Cancer of Breast	C50	5	266	0	1	4	0	171	95
Cancer of Cervix	C53	0	25	0	0	0	0	12	13
Cancer of Ovary	C56	0	124	0	0	0	0	69	55
Cancer of Prostate	C61	245	0	0	84	161	0	0	0
Cancer of lymphoid, haematopoietic and related tissue	C81-C96	162	137	1	85	76	1	64	72
Other Cancers	Rem C00-C97	761	648	1	441	319	5	270	373
Benign Neoplasms	D10-D36	10	3	0	4	6	0	1	2
Diabetes Mellitus	E10-E14	94	109	0	54	40	0	29	80
Other Metabolic Diseases	Rem E00-E90	42	46	5	22	15	1	23	22
Diseases of the blood and immune system	D50-D89	10	16	1	3	6	0	6	10
Mental Disorders	F00-F99	188	381	0	57	131	0	28	353
Multiple Sclerosis	G35	13	14	0	12	1	0	11	3
Other Nervous System Diseases	Rem G00-G99	231	310	3	85	143	2	48	260
Chronic Rheumatic Heart Disease	I05-I09	11	14	0	4	7	0	5	9
Hypertensive Disease	I10-I15	46	70	0	18	28	0	12	58
Ischaemic Heart Disease	I20-I25	1,271	963	0	566	705	0	193	770
Other forms of heart disease	I30-I52	229	308	1	75	153	0	48	260
Cerebrovascular Disease	I60-I69	489	750	0	140	349	0	122	628
Diseases of arteries, arterioles and capillaries	I70-I79	92	92	0	34	58	0	14	78
Influenza and pneumonia	J09-J18	288	459	2	62	224	2	53	404
Other Respiratory Diseases	Rem J00-J99	568	571	1	179	388	0	154	417
Ulcer of the stomach, duodenum and jejunum	K25-K28	28	25	0	16	12	0	11	14
Chronic Liver Disease	K70, K73-K74	118	72	0	109	9	0	64	8
Other Digestive Diseases	Rem K00-K93	181	291	0	79	102	0	79	212
Diseases of the genitourinary system	N00-N99	135	234	0	23	112	0	28	206
Skin and Musculoskeletal Disease	L00-L99, M00-M99	45	87	0	21	24	0	25	62
Congenital Anomalies	Q00-Q99	46	39	29	15	2	27	10	2
Perinatal Conditions	P00-P96	41	36	41	0	0	36	0	0
III-Defined Causes	R00-R99	31	104	4	13	14	3	9	92
Road Traffic Accidents	V01-V80, V87, V89, Y85	82	33	4	68	10	5	24	4
Accidental Falls	W00-W19	83	61	0	47	36	0	17	44
Other Accidents	Rem V00-X59	133	103	3	99	31	4	36	63
Suicide and Self Inflicted Injury	X60-X84, Y87.0	186	55	0	179	7	1	54	0
Other Causes of Death	Rem A00-Y98	188	140	0	136	52	2	72	66

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision)

In the UK, when reporting deaths from suicide, it is conventional to include cases where the cause of death is classified as either 'Intentional self-harm' or 'Event of undetermined intent'. The latter are included in Other causes above consistently with previous reports. In 2010 there were 54 male and 18 female such deaths recorded. If these are included the total suicide and undetermined intents are 240 male and 73 females respectively. More detailed breakdowns can be obtained from <http://www.nisra.gov.uk/demography/default.asp14.htm>

Table 10b
Mortality by cause, LCGs 2010

Condition	ICD Number	Number of Deaths														
		Belfast LCG		Northern LCG		South Eastern LCG		Southern LCG		Western LCG						
		Male	Female	Persons	Male	Female	Persons	Male	Female	Persons	Male	Female	Persons			
ALL CAUSES		1,552	1,686	3,238	1,796	1,921	3,717	1,336	1,501	2,837	1,309	1,285	2,594	1,073	998	2,071
Infectious Diseases	A00-B99	19	22	41	24	34	58	12	19	31	11	8	19	11	14	25
Cancer of Stomach	C16	17	12	29	21	10	31	15	9	24	11	7	18	12	17	29
Cancer of Colon	C18	30	32	62	35	33	68	31	28	59	24	23	47	23	11	34
Cancer of Rectum and Anus	C19-C21	18	15	33	24	14	38	12	11	23	20	10	30	17	8	25
Cancer of Pancreas	C25	16	26	42	30	33	63	14	12	26	17	22	39	11	5	16
Cancer of Trachea, Bronchus, Lung	C33-C34	163	103	266	133	83	216	91	64	155	84	60	144	68	60	128
Cancer of Breast	C50	0	47	47	2	65	67	2	56	58	1	58	59	0	40	40
Cancer of Cervix	C53	..	6	6	..	4	4	..	5	5	..	4	4	..	6	6
Cancer of Ovary	C56	..	29	29	..	37	37	..	16	16	..	23	23	..	19	19
Cancer of Prostate	C61	55	..	55	62	..	62	61	..	61	36	..	36	31	..	31
Cancer of lymphoid, haematopoietic & related tissue	C81-96	34	23	57	46	49	95	28	28	56	29	24	53	25	13	38
Other Cancers	Rem C00-C97	139	152	291	199	167	366	164	134	298	142	113	255	117	82	199
Benign Neoplasms	D10-D36	2	0	2	2	1	3	4	1	5	1	1	2	1	0	1
Diabetes Mellitus	E10-E14	20	22	42	23	24	47	14	18	32	21	29	50	16	16	32
Other Metabolic Diseases	Rem E00-E90	6	14	20	12	14	26	11	9	20	10	5	15	3	4	7
Diseases of the blood and immune system	D50-D89	5	4	9	0	5	5	1	2	3	1	2	3	3	3	6
Mental Disorders	F00-F99	50	82	132	35	87	122	33	94	127	48	77	125	22	41	63
Multiple Sclerosis	G35	1	1	2	2	5	7	4	2	6	4	5	9	2	1	3
Other Nervous System Diseases	Rem G00-G99	58	91	149	53	81	134	51	65	116	35	44	79	34	29	63
Chronic Rheumatic Heart Disease	I05-I09	0	7	7	2	1	3	3	3	6	2	1	3	4	2	6
Hypertensive Disease	I10-I15	9	16	25	13	20	33	12	15	27	7	12	19	5	7	12
Ischaemic Heart Disease	I20-I25	248	208	456	333	243	576	234	196	430	269	172	441	187	144	331
Other forms of heart disease	I30-I52	48	63	111	48	78	126	34	76	110	59	56	115	40	35	75
Cerebrovascular Disease	I60-I69	99	160	259	122	190	312	103	162	265	93	146	239	72	92	164
Diseases of arteries, arterioles and capillaries	I70-I79	17	24	41	30	23	53	18	13	31	14	18	32	13	14	27

Table 10b (continued)
Mortality by cause, LCGs 2010

	ICD Number	Number of Deaths														
		Belfast LCG		Northern LCG		South Eastern LCG		Southern LCG		Western LCG						
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female					
Influenza and pneumonia	J09-J18	69	91	160	70	137	207	62	99	161	46	64	110	41	68	109
Other Respiratory Diseases	Rem J00-J99	145	133	278	144	168	312	99	97	196	90	91	181	90	82	172
Ulcer of the stomach, duodenum and jejunum	K25-K28	7	5	12	9	4	13	5	10	15	3	3	6	4	3	7
Chronic Liver Disease	K70, K73-K74	33	18	51	18	21	39	21	9	30	21	9	30	25	15	40
Other Digestive Diseases	Rem K00-K93	36	68	104	56	71	127	37	61	98	23	52	75	29	39	68
Diseases of the genitourinary system	N00-N99	23	51	74	43	74	117	20	35	55	25	39	64	24	35	59
Skin and Musculoskeletal Disease	L00-L99, M00-M99	12	21	33	11	14	25	7	18	25	10	18	28	5	16	21
Congenital Anomalies	Q00-Q99	6	8	14	10	8	18	7	6	13	13	5	18	10	12	22
Perinatal Conditions	P00-P96	9	7	16	9	7	16	3	8	11	14	10	24	6	4	10
Ill-Defined Causes	R00-R99	9	23	32	6	17	23	8	44	52	4	13	17	4	7	11
Road Traffic Accidents	V01-V80, V87, V89, Y85	5	4	9	34	11	45	7	5	12	22	4	26	14	9	23
Accidental Falls	W00-W19	23	24	47	18	10	28	10	12	22	13	6	19	19	9	28
Other Accidents	Rem V00-X59	32	25	57	33	28	61	18	24	42	26	14	40	24	12	36
Suicide and Self Inflicted Injury	X60-X84, Y87.0	37	16	53	42	8	50	38	12	50	32	9	41	37	10	47
Other Causes of Death	Rem A00-Y98	52	33	85	42	42	84	42	23	65	28	28	56	24	14	38

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision)

Table 10c
Potential years of life lost (PYLL), selected causes of death age 1–74 years, Northern Ireland, 2010

Condition	ICD Number	Males	Females	Persons
ALL CAUSES		53,858	32,163	86,021
Cancer of Colon	C18	864	621	1,485
Cancer of Rectum and Anus	C19-C21	693	283	976
Cancer of Trachea, Bronchus and Lung	C33-C34	3,204	2,694	5,898
Cancer of Breast	C50	6	2,582	2,588
Cancer of Ovary	C56	..	847	847
Mental Disorders	F00-F99	1,285	390	1,675
Ischaemic Heart Disease	I20-I25	6,837	1,969	8,806
Cerebrovascular Disease	I60-I69	1,635	1,331	2,966
Influenza and pneumonia	J09-J18	970	909	1,879
Other Respiratory Diseases	Rem J00-J99	1,754	1,467	3,221
Chronic Liver Disease	K70, K73-K74	2,118	1,335	3,453
Congenital Anomalies	Q00-Q99	602	203	805
Road Traffic Accidents	V01-V80, V87, V89, Y85	3,061	1,229	4,290
Accidental Falls	W00-W19	1,017	240	1,257
Other Accidents	Rem V00-X59	3,051	1,014	4,065
Suicide and Self Inflicted Injury	X60-X84, Y87.0	6,550	2,006	8,556
Other Causes of Death	Rem A00-Y98	20,211	13,043	33,254

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision)
 Potential Years of Life Lost (PYLL) is a measure of premature death, measured as the number of years of life 'lost' from a death when a person dies before the age of 75. A death at age 25, for example, has lost 50 potential years of life.

Table 10d
Potential years of life lost (PYLL), selected causes of death age 1-74 years, LCGs 2010

Condition	ICD Number	Number of Years														
		Belfast LCG		Northern LCG		South Eastern LCG		Southern LCG		Western LCG						
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female					
ALL CAUSES		11,780	7,678	19,458	12,741	7,164	19,905	9,386	6,209	15,595	10,157	6,011	16,168	9,794	5,101	14,895
Cancer of Colon	C18	157	139	296	250	131	381	175	158	333	145	123	268	137	70	207
Cancer of Rectum and Anus	C19-C21	157	121	278	142	36	178	62	53	115	149	52	201	183	21	204
Cancer of Trachea, Bronchus and Lung	C33-C34	900	676	1,576	813	572	1,385	572	433	1,005	519	511	1,030	400	502	902
Cancer of Breast	C50	0	407	407	0	664	664	0	647	647	6	539	545	0	325	325
Cancer of Ovary	C56	..	155	155	..	199	199	..	127	127	..	182	182	..	184	184
Mental Disorders	F00-F99	477	5	482	230	58	288	190	104	294	154	146	300	234	77	311
Ischaemic Heart Disease	I20-I25	1,427	545	1,972	1,699	463	2,162	1,087	293	1,380	1,389	376	1,765	1,235	292	1,527
Cerebrovascular Disease	I60-I69	456	455	911	337	196	533	352	184	536	270	261	531	220	235	455
Influenza and pneumonia	J09-J18	169	189	358	159	120	279	350	175	525	113	271	384	179	154	333
Other Respiratory Diseases	Rem J00-J99	448	432	880	472	370	842	245	358	603	209	169	378	380	138	518
Chronic Liver Disease	K70, K73-K74	693	378	1,071	232	286	518	345	172	517	373	183	556	475	316	791
Congenital Anomalies	Q00-Q99	94	55	149	88	33	121	87	35	122	121	58	179	212	22	234
Road Traffic Accidents	V01-V80, V87, V89, Y85	148	215	363	1,079	298	1,377	309	215	524	819	131	950	706	370	1,076
Accidental Falls	W00-W19	271	62	333	278	8	286	85	91	176	126	2	128	257	77	334
Other Accidents	Rem V00-X59	603	128	731	744	182	926	342	203	545	734	221	955	628	280	908
Suicide and Self Inflicted Injury	X60-X84, Y87.0	1,338	659	1,997	1,522	231	1,753	1,458	506	1,964	927	285	1,212	1,305	325	1,630
Other Causes of Death	Rem A00-Y98	4,442	3,057	7,499	4,696	3,317	8,013	3,727	2,455	6,182	4,103	2,501	6,604	3,243	1,713	4,956

SOURCE: Northern Ireland Statistics and Research Agency

FOOTNOTE: ICD = International Classification of Diseases (10th Revision)

Potential Years of Life Lost (PYLL) is a measure of premature death, measured as the number of years of life 'lost' from a death when a person dies before the age of 75.

A death at age 25, for example, has lost 50 potential years of life.

Table 11a**Life expectancy at birth, age 1 and age 65 years, Northern Ireland 1900–2010**

PERIOD	AT BIRTH		AT AGE 1 YEAR		AT AGE 65 YEARS	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
1900-02	47.1	46.7	#	#	10.5	10.4
1925-27	55.4	56.1	59.9	59.5	11.9	12.7
1950-52	65.5	68.8	67.5	70.3	12.1	13.5
1975-77	67.5	73.8	67.9	74.1	11.8	15.3
1985-87	70.9	77.1	70.6	76.8	13.2	16.9
1995-97	73.9	79.3	73.3	78.6	14.6	18.1
2000-02	75.2	80.2	74.6	79.5	15.7	18.9
2001-03	75.6	80.5	75.0	79.8	15.9	19.0
2002-04	75.9	80.6	75.3	79.9	16.2	19.1
2003-05	76.1	80.9	75.5	80.2	16.4	19.4
2004-06	76.2	81.0	75.6	80.4	16.7	19.6
2005-07	76.3	81.3	75.6	80.6	16.9	19.8
2006-08	76.4	81.3	75.8	80.6	17.0	19.9
2007-09	76.8	81.4	76.1	80.7	17.2	20.0
2008-10	77.1	81.5	76.4	80.8	17.4	20.2

SOURCE: Office for National Statistics via Northern Ireland Statistics & Research Agency

FOOTNOTE: # - figures not available

Life expectancy at age 1 based on Interim Life Tables for Northern Ireland (Period expectation of life). Source: NISRA via Office for National Statistics

Table 11b
Life expectancy at birth, LGDs 1992–94 to 2008–10
Males

LGD	1992-94	1993-95	1994-96	1995-97	1996-98	1997-99	1998-00	1999-01	2000-02	2001-03	2002-04	2003-05	2004-06	2005-07	2006-08	2007-09	2008-10
Antrim	72.9	73.5	72.6	73.2	73.6	74.1	74.1	74.1	74.2	75.0	75.4	76.1	76.6	76.8	76.9	77.6	78.1
Ards	73.9	73.9	74.3	74.2	75.0	75.2	75.1	75.0	75.9	76.9	77.2	77.1	77.2	77.0	77.3	77.7	78.5
Armagh	72.8	73.4	74.0	73.9	74.1	74.4	74.1	74.2	74.2	75.7	76.6	77.3	76.4	76.3	76.2	76.5	76.5
Ballymena	74.0	74.2	74.5	75.0	74.9	74.8	75.0	75.3	76.3	76.3	76.9	77.2	77.5	77.8	78.1	78.6	78.4
Ballymoney	74.0	73.8	73.8	74.8	75.1	75.0	74.6	75.0	76.0	77.7	78.0	78.6	78.0	77.2	77.6	77.6	78.3
Banbridge	74.1	75.0	74.9	75.2	75.2	75.6	75.6	76.0	76.5	76.8	77.4	77.7	78.0	78.5	78.1	78.4	78.2
Belfast	71.5	71.5	71.9	72.4	72.7	72.4	72.3	72.8	73.2	73.5	73.5	73.6	73.7	73.6	73.4	73.5	73.9
Carrickfergus	74.0	73.8	74.3	74.9	74.6	74.3	74.1	75.2	76.3	77.2	77.9	77.6	77.2	76.4	76.5	77.0	77.4
Castlereagh	74.8	74.4	75.0	75.4	76.0	76.1	76.2	76.1	76.3	76.6	77.0	77.0	78.0	78.1	78.5	77.6	78.1
Coleraine	74.0	73.8	74.0	74.7	75.3	75.4	75.7	75.5	76.1	76.6	76.6	77.3	77.3	78.4	78.1	78.2	77.6
Cookstown	73.4	73.7	73.5	74.4	74.8	74.9	75.2	74.9	75.9	77.3	77.7	76.7	74.7	75.0	74.9	76.3	76.1
Craigavon	72.8	73.1	74.1	73.9	74.7	74.5	75.2	75.1	75.7	75.3	75.7	76.1	76.8	77.3	77.1	77.2	77.0
Derry	72.4	72.1	71.8	71.6	72.4	73.6	74.0	74.8	74.4	74.4	74.2	74.6	74.9	74.5	74.6	75.0	75.5
Down	73.5	73.0	72.4	73.1	73.5	74.0	74.6	75.4	76.1	76.0	77.0	77.3	77.8	77.6	78.1	78.5	78.7
Dungannon	71.8	71.7	72.5	73.3	74.0	73.9	74.8	74.5	75.2	76.5	77.0	75.7	74.6	74.5	75.9	77.1	77.5
Fermanagh	72.0	72.6	73.3	73.4	73.3	73.6	74.3	75.1	75.4	75.2	75.2	74.9	75.1	75.0	76.1	76.5	77.7
Larne	72.5	72.6	74.0	75.0	74.2	74.8	74.3	75.4	75.0	74.9	74.3	74.8	75.7	77.0	76.8	77.2	76.8
Limavady	73.5	73.8	74.8	75.3	75.5	75.0	75.1	75.4	75.6	76.0	76.7	77.2	76.9	76.8	76.4	76.5	76.6
Lisburn	73.9	74.1	74.3	74.6	75.2	75.3	75.6	75.8	76.1	75.8	75.6	75.9	76.3	77.0	77.2	77.8	78.0
Magherafelt	73.4	73.9	74.6	73.9	73.7	73.8	75.9	76.8	76.8	76.8	76.7	76.9	77.3	77.1	77.8	78.0	79.4
Moyle	71.1	71.1	72.2	74.2	75.7	75.3	75.4	74.7	76.6	76.8	77.6	76.8	76.8	77.6	78.5	79.0	78.7
Newry and Mourne	72.5	72.9	73.5	73.9	73.6	73.4	73.7	74.3	75.1	75.4	75.6	75.8	75.5	76.0	75.9	77.1	76.8
Newtownabbey	74.8	74.4	75.0	75.2	75.7	75.5	75.3	75.4	75.5	75.9	76.5	77.6	78.0	77.9	77.5	77.8	78.0
North Down	75.5	75.6	75.8	75.4	75.6	75.7	75.9	76.4	77.2	77.6	77.9	77.4	77.8	78.1	79.0	78.6	79.0
Omagh	71.5	72.5	73.8	74.3	74.1	74.0	73.8	73.9	74.3	75.8	76.7	76.7	76.5	75.4	76.1	76.2	77.3
Strabane	72.0	71.7	72.9	73.6	74.2	75.5	75.4	75.1	74.2	74.2	75.0	76.2	76.5	76.3	75.4	76.6	77.4
Northern Ireland	73.0	73.1	73.5	73.9	74.2	74.3	74.5	74.8	75.2	75.6	75.9	76.1	76.2	76.3	76.4	76.8	77.1

Table 11b
Life expectancy at birth, LGDs 1992-94 to 2008-10
Females

LGD	1992-94	1993-95	1994-96	1995-97	1996-98	1997-99	1998-00	1999-01	2000-02	2001-03	2002-04	2003-05	2004-06	2005-07	2006-08	2007-09	2008-10
Antrim	78.1	78.7	79.4	79.5	79.2	78.7	78.7	79.2	79.7	80.0	80.0	80.6	80.8	80.5	80.7	80.8	81.2
Ards	79.2	79.6	79.7	79.8	80.4	79.8	79.9	80.1	80.8	81.2	80.6	80.9	81.1	81.7	82.0	82.2	82.3
Armagh	78.1	78.1	78.5	78.8	78.9	79.2	79.4	79.4	79.8	80.7	80.8	81.7	81.3	81.8	81.2	81.4	81.7
Ballymena	80.1	79.7	79.3	79.2	79.4	79.5	80.3	80.6	81.0	80.9	81.2	81.9	82.3	82.6	82.2	82.5	82.7
Ballymoney	79.0	78.7	79.2	79.3	78.9	79.5	80.3	81.5	81.5	81.7	82.6	82.4	82.4	82.5	82.5	82.4	82.2
Banbridge	80.2	80.0	80.2	80.5	80.1	80.0	79.3	80.2	80.1	80.5	80.6	81.6	82.5	83.2	82.6	82.6	82.3
Belfast	78.1	77.9	78.1	78.5	79.0	78.8	78.3	78.3	78.8	79.3	79.4	79.6	79.6	79.6	79.6	79.6	79.8
Carrickfergus	78.7	78.7	78.6	78.7	79.1	79.5	80.0	79.8	79.6	79.4	79.8	80.6	81.2	80.4	80.3	80.4	81.8
Castlereagh	79.0	79.2	79.5	79.9	79.9	80.0	80.1	80.5	81.2	81.3	81.3	81.8	82.0	82.3	82.2	82.6	82.6
Coleraine	79.1	79.3	79.7	80.1	80.5	80.7	80.9	81.3	81.9	82.2	81.7	81.4	81.5	82.3	82.5	82.5	82.3
Cookstown	79.0	79.1	79.5	80.1	80.5	80.5	81.0	81.4	81.8	82.4	82.3	82.0	81.6	81.7	81.9	82.2	82.4
Craigavon	78.3	78.6	79.4	79.6	80.1	79.8	80.0	80.1	80.4	80.7	80.9	81.5	81.8	82.4	82.3	82.2	82.2
Derry	76.9	76.6	77.4	77.5	78.0	78.0	78.3	78.5	78.8	79.1	79.3	79.5	79.4	79.7	80.0	79.9	79.9
Down	79.0	79.1	78.8	78.7	79.2	79.3	79.8	80.1	80.9	81.0	81.3	81.1	81.0	80.9	80.7	81.5	82.0
Dungannon	78.3	79.1	78.6	79.7	79.6	80.0	79.8	80.0	80.2	80.2	80.2	80.3	80.6	81.4	81.1	81.3	81.0
Fermanagh	78.5	78.5	79.3	79.5	79.7	80.0	80.3	80.2	80.3	80.3	80.0	80.4	80.3	81.5	81.7	82.1	82.5
Larne	79.9	80.0	80.7	80.7	80.0	80.4	79.6	80.6	80.2	80.5	80.9	81.0	81.1	81.2	81.7	81.5	80.9
Limavady	77.8	77.7	78.2	78.5	80.2	79.8	79.2	79.2	79.7	80.5	80.5	79.9	80.3	81.1	82.4	83.5	83.2
Lisburn	79.7	79.4	79.5	79.7	80.0	79.5	79.7	80.0	80.3	80.6	80.7	80.9	81.5	81.7	82.0	81.9	81.6
Magherafelt	80.9	81.2	81.5	80.5	80.4	80.3	80.8	80.9	81.5	81.4	81.9	81.7	81.9	81.8	82.2	82.6	82.6
Moyle	79.2	79.5	81.1	81.3	80.8	79.4	79.6	79.3	79.6	79.5	80.6	82.2	81.7	82.1	81.1	81.5	81.2
Newry and Mourne	78.9	78.0	78.5	78.4	78.6	79.0	79.3	79.6	79.6	79.9	79.8	80.0	79.8	80.3	80.6	81.1	81.1
Newtownabbey	79.6	79.5	79.3	79.7	79.7	79.5	79.5	79.9	80.6	80.8	81.0	81.2	81.5	81.7	81.9	82.1	81.9
North Down	80.8	80.0	79.8	80.2	80.9	80.7	81.2	81.1	81.7	81.6	81.7	82.4	82.8	82.8	82.1	82.0	82.2
Omagh	79.0	79.1	79.3	79.2	80.1	80.4	80.3	79.7	80.3	80.8	81.6	82.1	81.9	81.5	81.9	82.0	82.8
Strabane	77.0	77.8	78.4	79.3	79.1	79.4	79.4	79.4	79.7	79.3	80.1	80.9	81.6	81.1	80.6	79.8	80.9
Northern Ireland	78.0	78.8	79.0	79.3	79.6	79.5	79.6	79.8	80.2	80.5	80.6	80.9	81.0	81.3	81.3	81.4	81.5

SOURCE: Office for National Statistics via Northern Ireland Statistics & Research Agency

Table 11c
Life expectancy at birth, LCGs 2001–03 to 2008–10

Males

LCG	2001-03	2002-04	2003-05	2004-06	2005-07	2006-08	2007-09	2008-10
Belfast	74.1	74.2	74.3	74.5	74.5	74.4	74.4	74.7
Northern	76.3	76.7	77.0	77.0	77.2	77.3	77.8	77.9
South Eastern	75.8	76.2	76.3	76.1	76.5	76.6	77.2	78.5
Southern	76.5	76.8	76.9	77.2	77.4	77.8	78.1	77.1
Western	74.9	75.2	75.6	75.7	75.3	75.5	75.9	76.7
Northern Ireland	75.6	75.9	76.1	76.2	76.3	76.4	76.8	77.1

Females

LCG	2001-03	2002-04	2003-05	2004-06	2005-07	2006-08	2007-09	2008-10
Belfast	79.8	79.8	80.0	80.1	80.2	80.1	80.2	80.4
Northern	80.9	81.2	81.4	81.6	81.7	81.8	81.9	82.0
South Eastern	80.4	80.4	80.9	81.0	81.6	81.4	81.7	82.0
Southern	81.1	81.1	81.4	81.7	81.9	81.8	82.0	81.6
Western	79.9	80.1	80.4	80.4	80.8	81.0	81.1	81.4
Northern Ireland	80.5	80.6	80.9	81.0	81.3	81.3	81.4	81.5

SOURCE: Office for National Statistics via Northern Ireland Statistics & Research Agency

FOOTNOTES: Figures only available for years 2001-03 onwards

Table 12
Infectious disease notifications, Northern Ireland 2001–10

Disease	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Acute Encephalitis/Meningitis: Bacterial	68	75	69	59	48	46	33	39	43	49
Acute Encephalitis/Meningitis: Viral	29	23	9	5	18	12	3	2	2	11
Chickenpox	3,927	4,931	4,459	3,768	3,227	3,034	2,823	1,941	2,655	2,111
Cholera	0	1	0	0	1	1	0	0	0	0
Diphtheria	0	0	0	0	0	0	0	1	0	0
Dysentery	22	7	14	8	7	7	10	16	13	6
Food Poisoning	1,644	1,220	1,268	1,666	1,409	1,469	1,321	1,267	1,452	1,550
Gastro-enteritis (persons under 2)	1,106	882	867	697	736	718	762	758	612	1,089
Hepatitis A	6	1	4	12	4	4	1	15	32	4
Hepatitis B*	7	8	21	45	41	42	50	60	54	90
Hepatitis Unspecified: Viral	10	2	15	2	29	2	1	0	0	0
Legionnaires Disease	1	3	4	4	6	5	10	5	8	4
Leptospirosis	0	1	0	0	1	1	1	0	0	0
Malaria	13	2	1	5	2	6	4	2	5	6
Measles	96	89	57	90	56	52	31	24	51	72
Meningococcal Septicaemia	90	98	76	82	66	75	42	33	46	38
Mumps	537	77	180	780	4,556	205	164	135	632	212
Paratyphoid Fever	0	1	0	0	0	0	0	1	0	0
Rabies	0	0	0	0	0	0	0	1	0	0
Rubella	65	50	34	39	31	33	26	28	14	18
Scarlet Fever	283	214	304	228	186	213	214	173	207	154
Tetanus	1	0	0	0	0	0	0	0	0	0
Tuberculosis (Pulmonary)	31	58	26	59	37	34	44	28	41	34
Tuberculosis (Non Pulmonary)	17	10	12	14	31	14	19	29	12	32
Typhoid	1	3	0	0	1	1	3	0	0	1
Whooping Cough	65	69	40	28	28	28	16	30	25	18
Yellow Fever	1	0	0	0	0	0	0	0	0	0
TOTAL	8,020	7,825	7,460	7,591	10,521	6,002	5,578	4,588	5,904	5,499

SOURCE: Public Health Agency

FOOTNOTES: Food poisoning notifications include those formally notified by clinicians and reports of Salmonella, Campylobacter, Cryptosporidium, Giardia, Listeria and E Coli O 157 informally ascertained from laboratories

* Prior to 2010 there was under-reporting of chronic Hepatitis B cases

Table 13a
Percentage uptake rates immunisation, Northern Ireland 2001–10

	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Diphtheria	94.9	96.2	95.5	95.2	96.1	96.7	96.9	97.4	98.1	97.9
Polio	94.7	95.5	95.4	95.1	95.9	96.6	96.8	97.3	98.0	97.8
Tetanus	94.9	95.7	95.5	95.2	96.1	96.7	96.9	97.4	98.1	97.9
Whooping Cough	94.2	95.2	95.1	94.9	96.1	96.7	96.9	97.3	98.1	97.5
MMR	89.9	89.3	88.3	88.0	90.7	91.6	92.7	90.6	92.0	92.7
Hib	94.9	95.6	95.5	95.2	96.2	96.6	96.7	97.2	98.0	97.8
Meningitis C	-	95.8	95.6	95.3	96.1	96.8	97.0	96.9	97.7	98.0
PCVb	-	-	-	-	-	-	81.1	84.5	92.7	93.1

SOURCE: Child Health System (Cover/Korner)

FOOTNOTES: Diphtheria, Polio, Tetanus, Whooping Cough and Hib refer to children who have received 3 doses (completed) before their first birthday.
MMR (Measles, Mumps and Rubella) refers to children who have received their 1st dose on or after their first birthday and before their second birthday
Meningitis C refers to children who have received 2 doses (completed) before their first birthday.
PCVb - Pneumococcal Conjugate Vaccine was introduced in September 2006 and refers to children who have received vaccine after their first birthday and before their second birthday

Table 13b
Percentage uptake rates immunisation, LCGs and Northern Ireland 2010

	Local Commissioning Group					
	Belfast	Northern	South Eastern	Southern	Western	Northern Ireland
DTaP/IPV/Hib3	96.2%	98.2%	97.6%	98.6%	98.5%	97.8%
MenC	98.1%	97.9%	97.3%	98.3%	98.1%	98.0%
PCV	96.2%	97.9%	97.4%	98.3%	98.2%	97.7%
MMR1 by age 2	88.8%	92.9%	92.1%	94.9%	94.5%	92.7%
MMR1 by age 5	95.9%	97.1%	96.7%	97.5%	97.6%	97.0%
MMR2	87.1%	92.7%	90.3%	92.9%	94.1%	91.6%
Pre School Booster	88.7%	94.9%	92.8%	94.6%	95.3%	93.5%
HPV	75.8%	85.8%	79.4%	87.2%	87.5%	83.1%

SOURCE: Child Health Systems (Cover/Korner)

FOOTNOTES: Uptake rates for:
Diphtheria, Polio, Tetanus, Whooping Cough and Hib refer to children who have received 3 doses (completed) before their first birthday.
MenC and PCV refer to children who have received 2 doses (completed) before their first birthday.
MMR1 by age 2 refer to children who received the first dose on or after their first birthday and before their second birthday
MMR1 by age 5 refer to children who received the first dose on or after their first birthday and before their fifth birthday
MMR2 by age 5 refer to children who received 2 doses on or after their first birthday and before their fifth birthday
Pre school booster refer to children who received their vaccine by age 5
HPV refer to girls in form 9 aged 12-13yrs who have received their 3rd dose (School year)

Table 14a
Number/birth prevalence per 1,000 total registered births, selected congenital abnormalities, Northern Ireland 2001–10

YEAR	Anencephaly		Hydrocephalus		Spina Bifida		Down's Syndrome	
	No	Rate	No	Rate	No	Rate	No	Rate
2001	5	0.2	11	0.5	13	0.6	36	1.6
2002	6	0.3	8	0.4	8	0.4	34	1.6
2003	4	0.2	6	0.3	12	0.6	38	1.7
2004	2	0.1	7	0.3	11	0.5	36	1.6
2005	1	0.0	6	0.3	14	0.6	35	1.6
2006	2	0.0	5	0.2	10	0.4	49	2.1
2007	0	0.0	8	0.3	7	0.3	50	2.0
2008	4	0.2	9	0.3	18	0.7	30	1.2
2009	6	0.2	4	0.2	7	0.3	54	2.2
2010	8	0.3	7	0.3	12	0.5	32	1.3

SOURCE: Child Health System, GRO (NISRA)

FOOTNOTE: Rates have been calculated using total registered births as a denominator

Table 14b
Number/rate Down's syndrome births, maternal age and LCGs 2006–10

Maternal Age	BELFAST LCG	
	No of Cases	Rate Per 1,000 Total Births
<19	1	0.5
20-24	1	0.2
25-29	3	0.5
30-34	10	1.7
35-39	12	3.4
40-44	4	5.2
45+	0	0.0

Maternal Age	NORTHERN LCG	
	No of Cases	Rate Per 1,000 Total Births
<19	0	0.0
20-24	1	0.2
25-29	10	1.1
30-34	13	1.4
35-39	15	3.0
40-44	14	15.1
45+	2	60.6

Maternal Age	SOUTH EASTERN LCG	
	No of Cases	Rate Per 1,000 Total Births
<19	2	1.7
20-24	2	0.5
25-29	10	1.6
30-34	10	1.5
35-39	16	4.0
40-44	9	13.0
45+	0	0.0

Maternal Age	SOUTHERN LCG	
	No of Cases	Rate Per 1,000 Total Births
<19	0	0.0
20-24	1	0.2
25-29	3	0.4
30-34	4	0.5
35-39	19	4.1
40-44	9	11.0
45+	0	0.0

Maternal Age	WESTERN LCG	
	No of Cases	Rate Per 1,000 Total Births
<19	2	1.8
20-24	2	0.6
25-29	8	1.4
30-34	6	0.9
35-39	20	5.8
40-44	6	8.1
45+	0	0.0

Maternal Age	NORTHERN IRELAND	
	No of Cases	Rate Per 1,000 Total Births
<19	5	0.7
20-24	7	0.3
25-29	34	1.0
30-34	43	1.2
35-39	82	4.0
40-44	42	10.6
45+	2	12.5

SOURCE: Child Health System and NISRA

FOOTNOTE: Rates have been calculated using total registered births as a denominator
Maternal age 45+ was formerly 45-49 in previously published tables

Table 15a
Cervical screening coverage, Health and Social Care Trusts (HSCTs) 2010–11

HSC Trust	Eligible population	Women with at least one test in the last 5 years (coverage)	% Coverage
Belfast	111,657	80,356	72.0%
Northern	109,492	88,361	80.7%
South Eastern	75,991	59,978	78.9%
Southern	94,677	73,607	77.7%
Western	80,347	62,684	78.0%
TOTAL	472,164	364,986	77.3%

SOURCE: Quality Assurance Reference Centre (QARC)

FOOTNOTES: HSC Trust is allocated based on GP postcode of woman


Table 15b
Breast screening uptake rates (three year screening cycle) by maternal residence, LCGs
2008/09–2010/11

LCG	Number invited	Number screened	%
Belfast	39,695	26,277	66.2%
South Eastern	33,746	25,725	76.2%
Northern	40,165	32,144	80.0%
Southern	36,216	27,409	75.7%
Western	39,423	29,971	76.0%
Northern Ireland	189,245	141,526	74.8%

SOURCE: Quality Assurance Reference Centre (QARC)

FOOTNOTES: Ladies invited are aged 50 to 70 years
The standard is $\geq 70\%$ with a target of 80%.

health
protection



Published by the Public Health Agency, Ormeau Avenue Unit, 18 Ormeau Avenue, Belfast BT2 8HS.
Tel: 028 9031 1611. Textphone/Text Relay: 18001 028 9031 1611.

www.publichealth.hscni.net